



Light-mode

**WIDE ASSORTMENT OF
LIGHTING FIXTURES**



TABLE OF CONTENT

- \ 1 Decorative Suspension Light
- \ 2 Decorative Ceiling Light
- \ 3 Decorative Wall Light
- \ 4 Decorative Floor Lamp
- \ 5 Decorative Table Lamp
- \ 6 Worskstation Suspension Light
- \ 7 Decorative Outdoor Light
- \ 8 Architectural Recessed Downlight
- \ 9 Architectural Surface Ceiling Downlight
- \ 10 Architectural Outdoor Light
- \ 11 Technical Cove Light
- \ 12 Decorative bulbs
- \ 13 Technical Bulbs



Decorative Suspension Light

Light-mode \$ 770 + VAT



NAME Bellona

MODEL 9801204

PARAMETERS

\\ **Finish:** Black

\\ **Technology:** LED or Halogen or Incandescent / Retrofit

\\ **Lampholder:** E27

\\ **Wattage:**

12x8W (LED)

12x45W

12x60W

\\ **Voltage:** 220V

\\ **Lumen:** 7000

\\ **Color Temperature:** 2700K (I&L) / 3000K (H&L) / 4000K (L)

\\ **Dimmable:** Yes (if requested)

\\ **CRI:** 80

\\ **IP:** 20

\\ **Life expectancy:**

20,000hrs (LED)

2,000hrs (Halogen)

1,000hrs (Incandescent)

\\ **Measurements:** Height (mm): 1350 ; Diameter (mm): 750

\\ **Material:** Metal



Light-mode \$ 50 + VAT



NAME Jess Beige

MODEL 5776

PARAMETERS

Finish: Beige

Technology: Halogen Retrofit

Lampholder: G9

Wattage: 1x40W

Voltage: 220V

Lumen: 360

Color Temperature: 3000K

Dimmable: Yes

CRI: 90

IP: 20

Life expectancy: 2,000hrs

Measurements: Height (mm): 1000 ; Diameter(mm): 80

Material: Glass

Decorative Suspension Light

Light-mode \$ 62 + VAT

NAME Felice I Zwis

MODEL 6242

PARAMETERS

Finish: Copper

Technology: LED or Halogen Retrofit

Lampholder: GU10

Wattage:

5W (LED)

50W (Halogen)

Voltage: 220V

Lumen: 560

Color Temperature: 2700K, 3000K or 4000K

Dimmable: Yes (if requested)

CRI: 80

IP: 20

Life expectancy:

20,000hrs (LED)

2,000hrs (Halogen)

Measurements: Height (mm): 950 ; Diameter (mm): 130

Material: Steel Copper Plating



Decorative Suspension Light

Promotion Price:
42\$

Light-mode ~~\$49~~ + VAT



NAME Razzi

MODEL 1117102

PARAMETERS

Finish: White

Technology: LED or Halogen or Incandescent Retrofit

Lampholder: E27

Wattage:

1x8W (LED)

1x45W (Halogen)

1x60W (Incandescent)

Voltage: 220V

Lumen: 560

Color Temperature: 2700K (I&L) / 3000K (H&L) / 4000K (L)

Dimmable: Yes (if requested)

CRI: 80

IP: 20

Life expectancy:

20,000hrs (LED)

2,000hrs (Halogen)

1,000hrs (Incandescent)

Measurements: Height (mm): 1100 ; Diameter (mm): 200

Material: Plastic & Textile

Decorative Suspension Light

Promotion Price:
42\$

Light-mode ~~\$ 49~~ + VAT



NAME Razzi

MODEL 1117104

PARAMETERS

Finish: Black

Technology: LED or Halogen or Incandescent Retrofit

Lampholder: E27

Wattage:

1x8W (LED)

1x45W (Halogen)

1x60W (Incandescent)

Voltage: 220V

Lumen: 560

Color Temperature: 2700K (I&L) / 3000K (H&L) / 4000K (L)

Dimmable: Yes (if requested)

CRI: 80

IP: 20

Life expectancy:

20,000hrs (LED)

2,000hrs (Halogen)

1,000hrs (Incandescent)

Measurements: Height (mm): 1100 ; Diameter (mm): 200

Material: Plastic & Textile

1.1

DECORATIVE SUSPENSION LIGHT

Light-mode \$ 340 + VAT



NAME OLYMPIA IX CLassic

MODEL 4355

PARAMETERS

- \\ **Finish:** As Picture
- \\ **Technology:** RETROFIT
- \\ **Lampholder:** 9x E27
- \\ **Wattage:** 9x60W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** Not Applicable
- \\ **Color Temperature:** Any
- \\ **Dimmable:** Possible
- \\ **CRI:** More Than 80
- \\ **IP:** 20
- \\ **Life expectancy:** Not Applicable
- \\ **Measurements:** Height: 83cm; Diameter: 80cm
- \\ **Material:** Zamack & Glass

Light-mode

Light-mode \$ 150 + VAT

NAME BARLA

MODEL 1191502

PARAMETERS

- \\ **Finish:** White Metal
- \\ **Technology:** Retrofit
- \\ **Lampholder:** 5xE27
- \\ **Wattage:** 5xMax60W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** Not Applicable
- \\ **Color Temperature:** Not Applicable
- \\ **Dimmable:** Possible
- \\ **CRI:** More Than 80
- \\ **IP:** 20
- \\ **Life expectancy:** Not Applicable
- \\ **Measurements:** Diameter:30 Cm Height: 135

*Light-mode*

1.2

DECORATIVE SUSPENSION LIGHT

Light-mode \$ 493 + VAT



NAME RAY

MODEL 3052102

PARAMETERS

\\ **Finish:**White Metal

\\ **Technology:**Factory Assembled

\\ **Lampholder:** Not Applicable

\\ **Wattage:**28W

\\ **Voltage:**Integrated Driver

\\ **Lumen:**2500lm

\\ **Color Temperature:**3000K


\\ **Dimmable:**NO

\\ **CRI:**More Than 80

\\ **IP:**20

\\ **Life expectancy:**30,000Hrs

\\ **Measurements:**Diameter:66 Cm Height: 150Cm



Light-mode

Light-mode \$299+ VAT



NAME ALESSA

MODEL 9014628

PARAMETERS

- \\ **Finish:** Chrome/Transparent | Metal/Glass
- \\ **Technology:** Retrofit
- \\ **Lampholder:** 6x E14
- \\ **Wattage:** Max 6x40W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** N/A
- \\ **Color Temperature:** N/A
- \\ **Dimmable:** NO
- \\ **CRI:** N/A
- \\ **IP:** 20
- \\ **Life expectancy:** N/A
- \\ **Measurements:** Ø610x740-1240 mm

Light-mode

Light-mode \$449+ VAT



NAME ALESSA

MODEL 9011228

PARAMETERS

\\ **Finish:** Chrome/Transparent | Metal/Glass

\\ **Technology:** Retrofit

\\ **Lampholder:** 12xE14

\\ **Wattage:** Max 12x40W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** NO

\\ **CRI:** N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** Ø830x980-1400 mm

Light-mode

Light-mode \$99+ VAT



NAME CORSICA WHITE II

MODEL 4524

PARAMETERS

\\ **Finish:**Crystal | Lampshade

\\ **Technology:**Retrofit

\\ **Lampholder:** 2xE27

\\ **Wattage:**Max 2x40W

\\ **Voltage:**Main Voltage

\\ **Lumen:**N/A

\\ **Color Temperature:**N/A


\\ **Dimmable:**NO

\\ **CRI:**N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** W: 580mm H:900mm



Light-mode

Light-mode \$110+ VAT



NAME AXE III ZWIS

MODEL 5445

PARAMETERS

\\ **Finish:** Red and Chrome electroplated steel

\\ **Technology:** Retrofit

\\ **Lampholder:** 3xE14

\\ **Wattage:** Max 3x40W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** NO

\\ **CRI:** N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** W: 680mm H:800mm



Light-mode

Light-mode \$207+ VAT



NAME LASER

MODEL 8920

PARAMETERS

- \\ **Finish:**Black Painted Steel
- \\ **Technology:**Retrofit
- \\ **Lampholder:** 7xG9
- \\ **Wattage:**Max 7x10W
- \\ **Voltage:**Main Voltage
- \\ **Lumen:**N/A
- \\ **Color Temperature:**N/A
- \\ **Dimmable:**NO
- \\ **CRI:**N/A
- \\ **IP:** 20
- \\ **Life expectancy:** N/A
- \\ **Measurements:** W:300mm H:1300mm



Light-mode

Light-mode \$95+VAT



NAME Bird Pendant Lamp

MODEL N23* LD541-1

PARAMETERS

Finish:Black and Gold / Iron+Acrylic

Technology:Factory Assembled Led

Lampholder:Not Applicable

Wattage:10W

Voltage:240V

Lumen:Not Defined

Color Temperature:3000K


Dimmable:NO

CRI:Not Applicable

IP:20

Life expectancy:30,000

Measurements:D350*W80*H1500mm



Light-mode

Light-mode \$469+VAT



NAME Bird Pendant Lamp

MODEL N23* LD541-6A

PARAMETERS

- \\ **Finish:**Black and Gold / Iron+Acrylic
- \\ **Technology:**Factory Assembled Led
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:**6x10W
- \\ **Voltage:**240V
- \\ **Lumen:**Not Defined
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:**NO
- \\ **CRI:**Not Applicable
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000
- \\ **Measurements:** D1000*H850mm



Light-mode

1.3

DECORATIVE SUSPENSION LIGHT

Light-mode \$290+VAT



NAME 360Linear Pendant Lamp

MODEL LD437B

PARAMETERS

Finish: Gold / Hardware + Silica Gel

Technology: Factory Assembled Led

Lampholder: Not Applicable

Wattage: 50W

Voltage: 240V

Lumen: Not Defined

Color Temperature: 3000K

Dimmable: NO

CRI: Not Applicable

IP: 20

Life expectancy: 30,000

Measurements: L1500*H300mm

Light-mode

Light-mode \$260+VAT



NAME 360Freestyle Linear Pendant Lamp

MODEL LD437C

PARAMETERS

- \\ **Finish:** Gold / Hardware + Silica Gel
- \\ **Technology:** Factory Assembled Led
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 60W
- \\ **Voltage:** 240V
- \\ **Lumen:** Not Defined
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** Not Applicable
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000
- \\ **Measurements:** L1500*H500mm

Light-mode

Light-mode \$110+VAT



NAME Mechanical Single Pendant Lamp

MODEL N23* LD470

PARAMETERS

\\ **Finish:**Black, Orange and Blue / Iron

\\ **Technology:**Retrofit

\\ **Lampholder:** E27

\\ **Wattage:** Any LED Bulb

\\ **Voltage:**240V

\\ **Lumen:** Depending on the bulb that will be used

\\ **Color Temperature:** Depending on the bulb that will be used

\\ **Dimmable:** Depending on the bulb that will be used

\\ **CRI:** Depending on the bulb that will be used

\\ **IP:** 20

\\ **Life expectancy:** Depending on the bulb that will be used

\\ **Measurements:** D300*H250mm

Light-mode

Light-mode \$59+VAT



NAME Modern Single Pendant Lamp

MODEL N23* GPL290

PARAMETERS

\\ **Finish:** Gold / Iron + Glass

\\ **Technology:** Retrofit

\\ **Lampholder:** E27

\\ **Wattage:** Any LED Bulb

\\ **Voltage:** 240V

\\ **Lumen:** Depending on the bulb that will be used

\\ **Color Temperature:** Depending on the bulb that will be used

\\ **Dimmable:** Depending on the bulb that will be used

\\ **CRI:** Depending on the bulb that will be used

\\ **IP:** 20

\\ **Life expectancy:** Depending on the bulb that will be used

\\ **Measurements:** D200*H240mm

Light-mode

Light-mode \$88+VAT



NAME Single Glass Ball Pendant Lamp

MODEL N23*LD401B-1B

PARAMETERS

- \\ **Finish:**Plating antique copper + white glass / Iron + Glass
- \\ **Technology:**Retrofit
- \\ **Lampholder:** G9
- \\ **Wattage:** Any LED Bulb
- \\ **Voltage:**240V
- \\ **Lumen:**Depending on the bulb that will be used
- \\ **Color Temperature:**Depending on the bulb that will be used
- \\ **Dimmable:**Depending on the bulb that will be used
- \\ **CRI:**Depending on the bulb that will be used
- \\ **IP:** 20
- \\ **Life expectancy:** Depending on the bulb that will be used
- \\ **Measurements:** D530*H800mm

Light-mode

Light-mode \$190+VAT



NAME Triple Glass Ball Pendant Lamp

MODEL N23*LD401B-3

PARAMETERS

- \\ **Finish:**Plating antique copper + white glass / Iron + Glass
- \\ **Technology:**Retrofit
- \\ **Lampholder:** G9
- \\ **Wattage:** Any LED Bulb
- \\ **Voltage:**240V
- \\ **Lumen:**Depending on the bulb that will be used
- \\ **Color Temperature:**Depending on the bulb that will be used
- \\ **Dimmable:**Depending on the bulb that will be used
- \\ **CRI:**Depending on the bulb that will be used
- \\ **IP:** 20
- \\ **Life expectancy:** Depending on the bulb that will be used
- \\ **Measurements:** D530*H800mm

Light-mode

Light-mode \$214+VAT



NAME Leaves Pendant Lamp

MODEL N23* LD330A-16

PARAMETERS

\\ **Finish:**S Gold / Iron+Agate slice

\\ **Technology:**Retrofit

\\ **Lampholder:** G4 x 16

\\ **Wattage:** Any LED Bulb

\\ **Voltage:**240V

\\ **Lumen:** Depending on the bulb that will be used

\\ **Color Temperature:** Depending on the bulb that will be used

\\ **Dimmable:** Depending on the bulb that will be used

\\ **CRI:** Depending on the bulb that will be used

\\ **IP:** 20

\\ **Life expectancy:** Depending on the bulb that will be used

\\ **Measurements:** D600*H500mm

Light-mode

Light-mode \$72+VAT



NAME Single Pendant Modern Frosted Lamp

MODEL N23* GPL203

PARAMETERS

- \\ **Finish:** White/ Iron+Glass
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 5W
- \\ **Voltage:** 240V
- \\ **Lumen:** 500lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** 80
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000
- \\ **Measurements:** D200*H550mm



Light-mode

Light-mode \$754+VAT



NAME Pendant Round Lamp Rectangle Base

MODEL N23* GPL113-24-Rectangle

PARAMETERS

\\ **Finish:** White + clear Glass/ Iron+Glass

\\ **Technology:** Factory Assembled

\\ **Lampholder:** Not Applicable

\\ **Wattage:** 20W

\\ **Voltage:** 240V

\\ **Lumen:** 2000lm

\\ **Color Temperature:** 3000K

\\ **Dimmable:** NO

\\ **CRI:** 80

\\ **IP:** 20

\\ **Life expectancy:** 30,000

\\ **Measurements:** D1650*H990mm



Light-mode

Light-mode \$224+VAT



NAME Collection Suspension

MODEL N23* GPL269-37

PARAMETERS

Finish: Gold + white glass / Iron+Glass

Technology: Retrofit

Lampholder: 3xE27

Wattage: Any Led Bulb

Voltage: 240V

Lumen: Depends on bulb selection

Color Temperature: Depends on bulb selection


Dimmable: NO

CRI: Depends on bulb selection

IP: 20

Life expectancy: Depends on bulb selection

Measurements: D800*H750mm



Light-mode

Light-mode \$ 78 + VAT



NAME Straight White Ceiling

MODEL 5365

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** Fluorescent
- \\ **Lampholder:** G5
- \\ **Wattage:** 54W
- \\ **Voltage:** 220V
- \\ **Lumen:** 5400
- \\ **Color Temperature:** 2700K / 3000K / 4000K.
- \\ **Dimmable:** No
- \\ **CRI:** 80
- \\ **IP:** 20
- \\ **Life expectancy:** 10,000hrs
- \\ **Measurements:** Length (mm): 1200 ; Width (mm): 70
- \\ **Material:** Painted Steel

Light-mode \$ 64 + VAT



NAME Ball Wood Led

MODEL 5031174

PARAMETERS

Finish: Oiled Oak, White & Chrome

Technology: LED

Lampholder: GU10

Wattage: 5.5W

Voltage: 220V

Lumen: 450

Color Temperature: 3000K

Dimmable: No

CRI: 80

IP: 20

Life expectancy: 20,000hrs

Measurements: Length (mm): 140 ; Width/Depth (mm): 140
Height (mm): 200

Material: Wood & Metal

Light-mode \$ 62 + VAT



NAME Ball Wood Led

MODEL 5032174

PARAMETERS

Finish: Oiled Oak, White & Chrome

Technology: LED

Lampholder: GU10

Wattage: 5.5W

Voltage: 220V

Lumen: 450

Color Temperature: 3000K

Dimmable: No

CRI: 80

IP: 20

Life expectancy: 20,000hrs

Measurements: Length (mm): 140 ; Width/Depth (mm): 140
Height (mm): 200

Material: Wood & Metal

Light-mode \$ 10 . + VAT



NAME Cristaldream

MODEL 5121901

PARAMETERS

Finish: White & Chrome

Technology: Halogen

Lampholder: G4

Wattage: 1x20W

Voltage: 12V

Lumen: 350

Color Temperature: 3000K

Dimmable: Yes

CRI: 90

IP: 20

Life expectancy: 3,000hrs

Measurements: Diameter (mm): 90 ; Height (mm): 70

Material: Metal & Glass

Light-mode \$ 10 + VAT



NAME Cristaldream

MODEL 5128001

PARAMETERS

- \\ **Finish:** Chrome
- \\ **Technology:** Halogen
- \\ **Lampholder:** G4
- \\ **Wattage:** 1x20W
- \\ **Voltage:** 12V
- \\ **Lumen:** 350
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** Yes
- \\ **CRI:** 90
- \\ **IP:** 20
- \\ **Life expectancy:** 3,000hrs
- \\ **Measurements:** Diameter (mm): 80 ; Height (mm): 80
- \\ **Material:** Metal & Glass

2.1

DECORATIVE CEILING LIGHT

Light-mode \$ 117 + VAT

NAME ALASKA

MODEL 4505112

PARAMETERS

\\ **Finish:** Chrome and White

\\ **Technology:** Factory Assembled LED

\\ **Lampholder:** Not Applicable

\\ **Wattage:** 30W

\\ **Voltage:** Main Voltage

\\ **Lumen:** 2600

\\ **Color Temperature:** 2700K

\\ **Dimmable:** No


\\ **CRI:** More Than 80

\\ **IP:** 20

\\ **Life expectancy:** 30,000Hours For LED

\\ **Measurements:** Height: 11cm; Diameter: 50cm

\\ **Material:** Metal and Glass



Light-mode

2.1

DECORATIVE CEILING LIGHT

Light-mode \$ 50 + VAT

NAME WISCONSIN

MODEL 4733102

PARAMETERS

\\ **Finish:** Chrome and White

\\ **Technology:** Factory Assembled LED

\\ **Lampholder:** Not Applicable

\\ **Wattage:** 12W

\\ **Voltage:** Main Voltage

\\ **Lumen:** 800lm

\\ **Color Temperature:** 2700K

\\ **Dimmable:** No


\\ **CRI:** More Than 80

\\ **IP:** 20

\\ **Life expectancy:** 30,000Hours For LED

\\ **Measurements:** Height: 9cm; Diameter: 30cm

\\ **Material:** Metal and Glass



Light-mode

Light-mode \$ 46 + VAT



NAME LEA LED

MODEL 9837

PARAMETERS

- \\ **Finish:** White Glass
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 9W
- \\ **Voltage:** Integrated Driver
- \\ **Lumen:** 900
- \\ **Color Temperature:** 4000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 20
- \\ **Life expectancy:** 20000Hours
- \\ **Measurements:** Diameter:25cm Height: 11cm

2.2

DECORATIVE CEILING LIGHT

Light-mode \$ 39 + VAT



NAME SWIVEL

MODEL 6556/6543

PARAMETERS

\\ **Finish:** Black/White Steel With Black and Gold/White Lampshade

\\ **Technology:** Retrofit

\\ **Lampholder:** E14

\\ **Wattage:** Max 40W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** Possible

\\ **CRI:** N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** Length: 100cm Height: 50cm

Light-mode

Light-mode \$23+ VAT



NAME EYE pistachio S

MODEL 5254

PARAMETERS

\\ **Finish:**Pistachio

\\ **Technology:**Retrofit

\\ **Lampholder:** 1xGU10

\\ **Wattage:**Max 1x35W

\\ **Voltage:**Main Voltage

\\ **Lumen:**N/A

\\ **Color Temperature:**N/A

\\ **Dimmable:**NO

\\ **CRI:**N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** D: 60mm H: 95mm



Light-mode

Promotion price:
48\$

Light-mode ~~\$56~~ +VAT



NAME Luna 230V

MODEL 3194102

PARAMETERS



- \\ **Finish:** White
- \\ **Technology:** LED Factory assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 1.5W
- \\ **Voltage:** 220V
- \\ **Lumen:** 51
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** No
- \\ **CRI:** 80
- \\ **IP:** 44
- \\ **Life expectancy:** 25,000hrs
- \\ **Measurements:** 30-100 x 130 x 47 (mm)
- \\ **Material:** Metal

Promotion price:
48\$

Light-mode ~~\$ 56~~ + VAT

Luna

A+ CE RoHS LED



3184227	3184127	3194227	3194127
5901289718288	5901289718295	5901289718301	5901289718318
12V DC		230V AC	
1W		1.5W	
◊		◻	
51mm			
6000K	3000K	6000K	3000K
IP 44			

NAME Luna 230V

MODEL 3194127

PARAMETERS

- // **Finish:** Stainless Steel
- // **Technology:** LED Factory assembled
- // **Lampholder:** N/A
- // **Wattage:** 1.5W
- // **Voltage:** 220V
- // **Lumen:** 51
- // **Color Temperature:** 3000K
- // **Dimmable:** No
- // **CRI:** 80
- // **IP:** 44
- // **Life expectancy:** 25,000hrs
- // **Measurements:** 30-100 x 130 x 47 (mm)
- // **Material:** Metal

Light-mode

Light-mode \$ 72 + VAT



NAME Drop

MODEL 8730005

PARAMETERS

- \\ **Finish:** Chrome & White
- \\ **Technology:** LED Factory assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 10W
- \\ **Voltage:** 220V
- \\ **Lumen:** 800
- \\ **Color Temperature:** 2700K
- \\ **Dimmable:** No
- \\ **CRI:** 80
- \\ **IP:** 44
- \\ **Life expectancy:** 25,000hrs
- \\ **Measurements:** 440 x 76 (mm)
- \\ **Material:** Metal & Glass

Promotion
Price 151\$

Light-mode \$ 178 + VAT



NAME Gondola 230V

MODEL 1110102

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** LED Factory assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 5W
- \\ **Voltage:** 220V
- \\ **Lumen:** 310
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** Yes (if requested)
- \\ **CRI:** 80
- \\ **IP:** 20
- \\ **Life expectancy:** 25,000hrs
- \\ **Measurements:** 140 x 265 x 115 (mm)
- \\ **Material:** Metal



Promotion price: 31\$

Light-mode \$ 36 + VAT



NAME Canalina Cracks C

MODEL 3504

PARAMETERS

- // **Finish:** Chrome & Painted Glass
- // **Technology:** LED or Halogen or Incandescent Retrofit
- // **Lampholder:** E14
- // **Wattage:**
 - 3x4W (LED)
 - 3x42W (Halogen)
 - 3x40W (Incandescent)
- // **Voltage:** 220V
- // **Lumen:** 1000
- // **Color Temperature:** 2700K (I&L) / 3000K (H&L) / 4000K (L)
- // **Dimmable:** Yes (if requested)
- // **CRI:** 80
- // **IP:** 20
- // **Life expectancy:**
 - 15,000hrs (LED)
 - 2,000hrs (Halogen)
 - 1,000hrs (Incandescent)
- // **Measurements:** Height (mm): 90 ; Length (mm): 540
- // **Material:** Glass

Promotion price: 17\$

Decorative Wall Light

3

Light-mode ~~\$ 20~~ + VAT



NAME FAKIRA 9-1/2

MODEL 3578

PARAMETERS

Finish: White & Antique Gold

Technology: LED or Halogen or Incandescent Retrofit

Lampholder: E27

Wattage:

8W (LED)

45W (Halogen)

60W (Incandescent)

Voltage: 220V

Lumen: 560

Color Temperature: 2700K (I&L) / 3000K (H&L) / 4000K (L)

Dimmable: Yes (if requested)

CRI: 80

IP: 20

Life expectancy:

20,000hrs (LED)

2,000hrs (Halogen)

1,000hrs (Incandescent)

Measurements: Width (mm): 310 ; Depth (mm): 90

Material: Steel & Glass

Light-mode

Promotion price: 59\$

Light-mode ~~\$ 69~~ + VAT**NAME** Picasso Silver S**MODEL** 3981**PARAMETERS**

- \\ **Finish:** Silver
- \\ **Technology:** Fluorescent
- \\ **Lampholder:** G5
- \\ **Wattage:** 8W
- \\ **Voltage:** 220V
- \\ **Lumen:** 750
- \\ **Color Temperature:** 2700K / 3000K / 4000K
- \\ **Dimmable:** No
- \\ **CRI:** 80
- \\ **IP:** 20
- \\ **Life expectancy:** 10,000hrs
- \\ **Measurements:** Length (mm): 355 ; Depth (mm): 160
- \\ **Material:** Steel

Promotion price: 65\$

Decorative Wall Light

3

Light-mode ~~\$ 71~~ +VAT



NAME Dali Chrom

MODEL 3985

PARAMETERS

- \\ **Finish:** Chrome
- \\ **Technology:** Fluorescent
- \\ **Lampholder:** G5
- \\ **Wattage:** 8W
- \\ **Voltage:** 220V
- \\ **Lumen:** 750
- \\ **Color Temperature:** 2700K / 3000K / 4000K
- \\ **Dimmable:** No
- \\ **CRI:** 80
- \\ **IP:** 20
- \\ **Life expectancy:** 10,000hrs
- \\ **Measurements:** Length (mm): 380 ; Depth (mm): 250
- \\ **Material:** Steel



Light-mode

Light-mode \$ 95 + VAT



NAME Santi Led

MODEL 6847

PARAMETERS

Finish: White

Technology: LED Factory Assembled

Lampholder: N/A

Wattage: 6W

Voltage: 220V

Lumen: 600

Color Temperature: 3000K

Dimmable: No


CRI: 80

IP: 20

Life expectancy: 25,000hrs

Measurements: Width (mm): 200 ; Depth (mm): 165

Material: Aluminium



Light-mode \$ 12 + VAT



NAME Alabama

MODEL 4341502

PARAMETERS

Finish: White & Chrome

Technology: LED or Halogen or Incandescent Retrofit
or Compact Fluorescent

Lampholder: E27

Wattage:

1x60W (Incandescent) / 1x45W (Halogen)

1x8W (LED) / 1x15W (CFL)

Voltage: 220V

Lumen: 500

Color Temperature: 2700K (I&L&C) / 3000K (H&L&C) / 4000K (L&C)

Dimmable: Yes (if requested)

CRI: 80 / 90

IP: 20

Life expectancy:

20,000hrs (LED) / 3,000hrs (Halogen)

1,000hrs (Incandescent) / 10,000hrs (Compact Fluorescent)

Measurements: Length (mm): 300 ; Width/depth(mm): 90 ;

Height (mm): 150

Material: Glass & Metal

Light-mode \$ 64 + VAT



NAME Ball Wood Led

MODEL 5031174

PARAMETERS

\\ **Finish:** Oiled Oak, White & Chrome

\\ **Technology:** LED

\\ **Lampholder:** GU10

\\ **Wattage:** 5.5W

\\ **Voltage:** 220V

\\ **Lumen:** 450

\\ **Color Temperature:** 3000K

\\ **Dimmable:** No

\\ **CRI:** 80

\\ **IP:** 20

\\ **Life expectancy:** 20,000hrs

\\ **Measurements:** Length (mm): 140 ; Width/Depth (mm): 140

Height (mm): 200

\\ **Material:** Wood & Metal

Light-mode \$ 62 +VAT



NAME Ball Wood Led

MODEL 5032174

PARAMETERS

\\ **Finish:** Oiled Oak, White & Chrome

\\ **Technology:** LED

\\ **Lampholder:** GU10

\\ **Wattage:** 5.5W

\\ **Voltage:** 220V

\\ **Lumen:** 450

\\ **Color Temperature:** 3000K

\\ **Dimmable:** No

\\ **CRI:** 80

\\ **IP:** 20

\\ **Life expectancy:** 20,000hrs

\\ **Measurements:** Length (mm): 140 ; Width/Depth (mm): 140
Height (mm): 200

\\ **Material:** Wood & Metal

3.1

DECORATIVE WALL LIGHT

Light-mode \$ 53 + VAT



NAME PONY

MODEL 6376

PARAMETERS

- \\ **Finish:** Plywood Same as Picture
- \\ **Technology:** Retrofit Led Or Halogen Or Incandescent
- \\ **Lampholder:** 1xE14
- \\ **Wattage:** 1xMax40W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** Not Applicable
- \\ **Color Temperature:** Any
- \\ **Dimmable:** Possible
- \\ **CRI:** More Than 80
- \\ **IP:** 00
- \\ **Life expectancy:**
 - 1,000Hours For Incandescent
 - 3,000Hours For Halogen
 - 20,000Hours For LED
- \\ **Measurements:** Height: 45cm; Depth: 13cm; Shade Height: 24cm
- \\ **Material:** Plywood, Shade

Light-mode

3.1

DECORATIVE WALL LIGHT

Light-mode \$ 11 + VAT



NAME VARESE

MODEL 4774

PARAMETERS

- \\ **Finish:** Chrome and White Glasse
- \\ **Technology:** Retrofit Led Or Halogen Or Incandescent
- \\ **Lampholder:** 1xE14
- \\ **Wattage:** 1xMax40W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** Not Applicable
- \\ **Color Temperature:** Any
- \\ **Dimmable:** Possible
- \\ **CRI:** More Than 80
- \\ **IP:** 00
- \\ **Life expectancy:**
 - 1,000Hours For Incandescent
 - 3,000Hours For Halogen
 - 20,000Hours For LED
- \\ **Measurements:** Height: 15.5cm; Depth: 11cm
- \\ **Material:** electroplated steel, steel, glass

Light-mode

3.1

DECORATIVE WALL LIGHT

Light-mode \$ 11 + VAT



NAME ROSSALIE

MODEL 4457

PARAMETERS

- // **Finish:** Violet
- // **Technology:** Retrofit Led Or Halogen
- // **Lampholder:** 1xGu10
- // **Wattage:** 1xMax50W
- // **Voltage:** Main Voltage
- // **Lumen:** Not Applicable
- // **Color Temperature:** Any
- // **Dimmable:** Possible
- // **CRI:** More Than 80
- // **IP:** 00
- // **Life expectancy:**
3,000Hours For Halogen
20,000Hours For LED
- // **Measurements:** Width: 9cm; Depth: 10cm

Light-mode

3.1

DECORATIVE WALL LIGHT

Light-mode \$ 38 + VAT

NAME IKA Wenge I

MODEL 4400

PARAMETERS

- \\ **Finish:**Black
- \\ **Technology:**Retrofit Led Or Halogen Or Incandescent
- \\ **Lampholder:** 1xE27
- \\ **Wattage:** 1xMax60W
- \\ **Voltage:**Main Voltage
- \\ **Lumen:**Not Applicable
- \\ **Color Temperature:** Any
- \\ **Dimmable:**Possible
- \\ **CRI:**More Than 80
- \\ **IP:** 20
- \\ **Life expectancy:**
1,000Hours For Incandescent
3,000Hours For Halogen
20,000Hours For LED
- \\ **Measurements:**Height: 25cm; Depth: 17cm
- \\ **Material:**Plywood



Light-mode

3.1

DECORATIVE WALL LIGHT

Light-mode \$ 62 + VAT



NAME TROPEA

MODEL 5202

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** Retrofit Led Or Halogen Or Incandescent
- \\ **Lampholder:** 1xE14
- \\ **Wattage:** 1xMax40W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** Not Applicable
- \\ **Color Temperature:** Any
- \\ **Dimmable:** Possible
- \\ **CRI:** More Than 80
- \\ **IP:** 20
- \\ **Life expectancy:**
 - 1,000Hours For Incandescent
 - 3,000Hours For Halogen
 - 20,000Hours For LED
- \\ **Measurements:** Depth: 32cm; Height: 42cm
- \\ **Material:** painted steel, crystals, shade, velvet

Light-mode

3.1

DECORATIVE WALL LIGHT

Light-mode \$ 46 + VAT



NAME Garda

MODEL 5790111

PARAMETERS

- \\ **Finish:**Antique Brass
- \\ **Technology:**Retrofit Led Or Halogen Or Incandescent
- \\ **Lampholder:** 1xE14
- \\ **Wattage:** 1xMax40W
- \\ **Voltage:**Main Voltage
- \\ **Lumen:**Not Applicable
- \\ **Color Temperature:** Any
- \\ **Dimmable:**Possible
- \\ **CRI:** More Than 80
- \\ **IP:** 20
- \\ **Life expectancy:**
1,000Hours For Incandescent
3,000Hours For Halogen
20,000Hours For LED
- \\ **Measurements:** Height: 29cm; Depth: 27cm
- \\ **Material:**Metal and Glass

Light-mode

Light-mode \$ 69 + VAT



NAME ARLES

MODEL 5851102

PARAMETERS

- \\ **Finish:** White Metal
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 3W
- \\ **Voltage:** Integrated Driver
- \\ **Lumen:** 270lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** No
- \\ **CRI:** More Than 80
- \\ **IP:** 20
- \\ **Life expectancy:** 35,000Hours
- \\ **Measurements:** Length: 20cm Height: 40cm



Light-mode

Light-mode \$ 57 + VAT



NAME KINKIET

MODEL 2760128

PARAMETERS

\\ **Finish:** Chrome Metal and White Glass

\\ **Technology:** Factory Assembled

\\ **Lampholder:** N/A

\\ **Wattage:** 3W

\\ **Voltage:** Integrated Driver

\\ **Lumen:** 400lm

\\ **Color Temperature:** 2700K

\\ **Dimmable:** No

\\ **CRI:** More Than 80

\\ **IP:** 20

\\ **Life expectancy:** 35,000Hours

\\ **Measurements:** Length: 19.5cm Side: 12cmx12cm

Light-mode \$ 24 + VAT



NAME Kinkiet Doggy

MODEL 2104102

PARAMETERS

\\ **Finish:** Chrome Metal and White Plastic

\\ **Technology:** Retrofit

\\ **Lampholder:** 1xGU10

\\ **Wattage:** Max 50W

\\ **Voltage:** Main Voltage

\\ **Lumen:** Not Applicable

\\ **Color Temperature:** Not Applicable

\\ **Dimmable:** Possible

\\ **CRI:** Not Applicable

\\ **IP:** 20

\\ **Life expectancy:** Not Applicable

\\ **Measurements:** Width: 18 cm Length: 14 cm Depth: 16cm

Light-mode



Light-mode \$ 26 + VAT

NAME CALIFORNIA

MODEL 3994

PARAMETERS

- \\ **Finish:** Steel Chrome, White Glass and Black Wood
- \\ **Technology:** Retrofit
- \\ **Lampholder:** 1xG9
- \\ **Wattage:** 1xMax40W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** Not Applicable
- \\ **Color Temperature:** Not Applicable
- \\ **Dimmable:** Possible
- \\ **CRI:** Not Applicable
- \\ **IP:** 20
- \\ **Life expectancy:** Not Applicable
- \\ **Measurements:** Height: 23cm; Depth 12

Light-mode

Light-mode \$45+ VAT



NAME ALESSA

MODEL 9014128

PARAMETERS

\\ **Finish:** Chrome/Transparent | Metal/Glass

\\ **Technology:** Retrofit

\\ **Lampholder:** E14

\\ **Wattage:** Max 40W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** NO

\\ **CRI:** N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** 250x125x370 mm

Light-mode

Light-mode \$31+ VAT



NAME BLOSSOM BLACK

MODEL 5603

PARAMETERS

\\ **Finish:** Frosted Glass with Black Pattern

\\ **Technology:** Retrofit

\\ **Lampholder:** 2xE14

\\ **Wattage:** 2xMax 60W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** NO

\\ **CRI:** N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** H: 360mm W: 150mm

Light-mode

Light-mode \$39+ VAT



NAME CAB 5

MODEL 5278

PARAMETERS

\\ **Finish:**Frosted Glass with Picture Patern

\\ **Technology:**Retrofit

\\ **Lampholder:** 1xE27

\\ **Wattage:** 1xMax 100W

\\ **Voltage:**Main Voltage

\\ **Lumen:**N/A

\\ **Color Temperature:**N/A

\\ **Dimmable:**NO

\\ **CRI:**N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** H: 300mm W: 270mm

Light-mode

Light-mode \$42+ VAT



NAME AIRPLANE

MODEL 6905

PARAMETERS

- \\ **Finish:** Plywood
- \\ **Technology:** Retrofit
- \\ **Lampholder:** 1xGu10
- \\ **Wattage:** 1xMax 35W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** N/A
- \\ **Color Temperature:** N/A
- \\ **Dimmable:** NO
- \\ **CRI:** N/A
- \\ **IP:** 20
- \\ **Life expectancy:** N/A
- \\ **Measurements:** T: 120mm D: 300mm

Light-mode

Light-mode \$44+ VAT



NAME BLOCKS

MODEL 9727

PARAMETERS

- \\ **Finish:** Plywood, PA
- \\ **Technology:** Retrofit
- \\ **Lampholder:** 1xGu10
- \\ **Wattage:** 1xMax 15W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** N/A
- \\ **Color Temperature:** N/A
- \\ **Dimmable:** NO
- \\ **CRI:** N/A
- \\ **IP:** 20
- \\ **Life expectancy:** N/A
- \\ **Measurements:** W: 215mm T: 140mm

Light-mode

Light-mode \$68+ VAT




NAME COMIC BOOK

MODEL 9290

PARAMETERS

- \\ **Finish:** Plywood, Painted steel
- \\ **Technology:** Retrofit
- \\ **Lampholder:** 1xGu10
- \\ **Wattage:** 1xMax 35W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** N/A
- \\ **Color Temperature:** N/A
- \\ **Dimmable:** NO
- \\ **CRI:** N/A
- \\ **IP:** 20
- \\ **Life expectancy:** N/A
- \\ **Measurements:** W: 200mm H: 170mm



Light-mode

Light-mode \$44+ VAT



NAME EYE SILVER

MODEL 5656

PARAMETERS

- \\ **Finish:** painted steel
- \\ **Technology:** Retrofit
- \\ **Lampholder:** 1xGu10
- \\ **Wattage:** 1xMax 35W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** N/A
- \\ **Color Temperature:** N/A
- \\ **Dimmable:** NO
- \\ **CRI:** N/A
- \\ **IP:** 20
- \\ **Life expectancy:** N/A
- \\ **Measurements:** W: 210mm H: 210mm




Light-mode

3.2

DECORATIVE WALL LIGHT

Light-mode \$47+ VAT



NAME PESZEL I BLUE

MODEL 8788

PARAMETERS


- \\ **Finish:** painted steel white and blue
- \\ **Technology:** Retrofit
- \\ **Lampholder:** 1xGu10
- \\ **Wattage:** 1xMax 35W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** N/A
- \\ **Color Temperature:** N/A
- \\ **Dimmable:** NO
- \\ **CRI:** N/A
- \\ **IP:** 20
- \\ **Life expectancy:** N/A
- \\ **Measurements:** Adjustable

Light-mode

3.2

DECORATIVE WALL LIGHT

Light-mode \$47+ VAT



NAME PESZEL I GREEN

MODEL 8790

PARAMETERS

\\ **Finish:** painted steel white and Green

\\ **Technology:** Retrofit

\\ **Lampholder:** 1xGu10

\\ **Wattage:** 1xMax 35W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** NO

\\ **CRI:** N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** Adjustable

Light-mode

3.2

DECORATIVE WALL LIGHT

Light-mode \$47+ VAT



NAME PESZEL I PINK

MODEL 8787

PARAMETERS

\\ **Finish:** painted steel white and Pink

\\ **Technology:** Retrofit

\\ **Lampholder:** 1xGu10

\\ **Wattage:** 1xMax 35W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** NO

\\ **CRI:** N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** Adjustable

Light-mode

Light-mode \$68+ VAT



NAME MAGMA

MODEL 6832

PARAMETERS

- \\ **Finish:** Steel as per photo
- \\ **Technology:** Retrofit
- \\ **Lampholder:** E14
- \\ **Wattage:** 1xmax25W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** N/A
- \\ **Color Temperature:** N/A
- \\ **Dimmable:** NO
- \\ **CRI:** N/A
- \\ **IP:** 20
- \\ **Life expectancy:** N/A
- \\ **Measurements:** W: 100mm H: 250mm



Light-mode

Light-mode \$110+ VAT



NAME GOYA WHITE LED

MODEL 6848

PARAMETERS

\\ **Finish:** White painted steel and plastic diffusor

\\ **Technology:** Factory Assembled

\\ **Lampholder:** N/A

\\ **Wattage:** 8W

\\ **Voltage:** Main Voltage

\\ **Lumen:** 482

\\ **Color Temperature:** 3000K


\\ **Dimmable:** NO

\\ **CRI:** 80

\\ **IP:** 20

\\ **Life expectancy:** 3000hrs

\\ **Measurements:** W: 390mm D: 100mm



Light-mode

3.2

DECORATIVE WALL LIGHT

Light-mode \$73+ VAT



NAME HANOI LED

MODEL 9512

PARAMETERS

\\ **Finish:** White Aluminium

\\ **Technology:** Factory Assembled

\\ **Lampholder:** N/A

\\ **Wattage:** 6W

\\ **Voltage:** Main Voltage

\\ **Lumen:** 335

\\ **Color Temperature:** 3000K

\\ **Dimmable:** NO

\\ **CRI:** 80

\\ **IP:** 54

\\ **Life expectancy:** 3000hrs

\\ **Measurements:** W: 110mm H: 70mm D: 110mm



Light-mode

Light-mode \$73+ VAT



NAME OHIO II

MODEL 3564

PARAMETERS

\\ **Finish:** Chrome Electroplated Steel and Opal Glass

\\ **Technology:** Retrofit

\\ **Lampholder:** 2xG9

\\ **Wattage:** 2xmax40W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** NO

\\ **CRI:** N/A

\\ **IP:** 44

\\ **Life expectancy:** N/A

\\ **Measurements:** D: 125mm H: 230mm



Light-mode

Light-mode \$73+ VAT



NAME SPOT LAMP

MODEL 5657

PARAMETERS

- \\ **Finish:** Chrome plated steel
- \\ **Technology:** Retrofit
- \\ **Lampholder:** 1xE14
- \\ **Wattage:** 1xmax40W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** N/A
- \\ **Color Temperature:** N/A
- \\ **Dimmable:** NO
- \\ **CRI:** N/A
- \\ **IP:** 20
- \\ **Life expectancy:** N/A
- \\ **Measurements:** Depth: 120mm H: 200mm



Light-mode

Light-mode \$69+ VAT



NAME YOSEMITE SILVER M

MODEL 3973

PARAMETERS

\\ **Finish:** Chrome Metal and White Plastic

\\ **Technology:** Retrofit

\\ **Lampholder:** 1xT5

\\ **Wattage:** 1xmax14W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** NO

\\ **CRI:** N/A


\\ **IP:** 44

\\ **Life expectancy:** N/A

\\ **Measurements:** Length: 600mm H: 75mm

Light-mode

Light-mode \$23+ VAT



NAME BUS

MODEL 2960

PARAMETERS

\\ **Finish:** Opal Glass with Pattern And Chrome Steel

\\ **Technology:** Retrofit

\\ **Lampholder:** 1xE27

\\ **Wattage:** 1xmax 60W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** NO

\\ **CRI:** N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** Length: 300mm Width: 270mm



Light-mode

Light-mode \$30+ VAT



NAME GEL

MODEL 5228

PARAMETERS

\\ **Finish:** Wood, Steel, PET, PC

\\ **Technology:** Retrofit

\\ **Lampholder:** 1xE14

\\ **Wattage:** 1xmax 40W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** NO

\\ **CRI:** N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** Depth: 150mm Width: 290mm

Light-mode

Light-mode \$28+ VAT



NAME LONDON TELEPHONE

MODEL 5230

PARAMETERS

\\ **Finish:** Plywood and Metal

\\ **Technology:** Retrofit

\\ **Lampholder:** 1xE14

\\ **Wattage:** 1xmax 40W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** NO

\\ **CRI:** N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** Depth: 150mm Width: 290mm

Light-mode

Promotion price: 179\$

Decorative Floor Lamp

4

Light-mode \$ 211 + VAT



NAME Alaska I Podłogowa

MODEL 4466

PARAMETERS

Finish: Electroplated Steel

Technology: LED or Halogen or Incandescent Retrofit

Lampholder: E27

Wattage:

8W (LED)

45W (Halogen)

60W (Incandescent)

Voltage: 220V

Lumen: 560

Color Temperature: 2700K (I&L) / 3000K (H&L) / 4000K (L)

Dimmable: Yes (if requested)

CRI: 80

IP: 20

Life expectancy:

20,000hrs (LED)

2,000hrs (Halogen)

1,000hrs (Incandescent)

Measurements: Height (mm): 1750 ; Diameter (mm): 300

Material: Electroplated Steel & Shade

Light-mode

Light-mode \$ 183 + VAT



NAME Alaska Black

MODEL 5755

PARAMETERS

- || **Finish:** Painted Steel Black
- || **Technology:** LED or Halogen or Incandescent Retrofit
- || **Lampholder:** E27
- || **Wattage:**
 - 8W (LED)
 - 45W (Halogen)
 - 60W (Incandescent)
- || **Voltage:** 220V
- || **Lumen:** 560
- || **Color Temperature:** 2700K (I&L) / 3000K (H&L) / 4000K (L)
- || **Dimmable:** Yes (if requested)
- || **CRI:** 80
- || **IP:** 20
- || **Life expectancy:**
 - 20,000hrs (LED)
 - 2,000hrs (Halogen)
 - 1,000hrs (Incandescent)
- || **Measurements:** Height (mm): 1750 ; Diameter (mm): 300
- || **Material:** Steel & Shade

4.1

DECORATIVE FLOOR LAMP

Light-mode \$226+ VAT



NAME LAURA

MODEL 74106051

PARAMETERS

\\ **Finish:** Stained Pine/Transparent/White Pine wood/Fabric

\\ **Technology:** Retrofit

\\ **Lampholder:** E27

\\ **Wattage:** Max 60W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** NO

\\ **CRI:** N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** Ø500x1600 mm

Light-mode

Light-mode \$235+VAT



NAME Modern Design Face Floor Lamp

MODEL N23* TL78-L-3000K

PARAMETERS

\\ **Finish:**Black Aluminum + Iron

\\ **Technology:**3000K Sylycone Strip

\\ **Lampholder:** Not Applicable

\\ **Wattage:**24W

\\ **Voltage:**240V

\\ **Lumen:**Not Defined

\\ **Color Temperature:** 3000K

\\ **Dimmable:**Polarless Dimmable With Remote Control

\\ **CRI:**Not Applicable

\\ **IP:** 20

\\ **Life expectancy:** 30,000

\\ **Measurements:** D500*W220*H1550mm



Light-mode

Light-mode \$203+VAT



NAME 360Freestyle Standing Floor Lamp

MODEL N23* LD437F-1

PARAMETERS

Finish: Gold / Hardware And Silica Gel / EU Plug

Technology: Factory Assembled

Lampholder: Not Applicable

Wattage: 25W

Voltage: 240V

Lumen: Not Defined

Color Temperature: 3000K


Dimmable: No

CRI: Not Applicable

IP: 20

Life expectancy: 30,000

Measurements: D400*H1100mm



Light-mode

Light-mode \$193+VAT




NAME Modern Standing Floor Lamp

MODEL N23* TL62F

PARAMETERS

- \\ **Finish:** White/Black / Iron+Aluminium + EU plug
- \\ **Technology:** Retrofit
- \\ **Lampholder:** 1xE27
- \\ **Wattage:** Any Led bulb
- \\ **Voltage:** 240V
- \\ **Lumen:** Depending on the Led Bulb Selected
- \\ **Color Temperature:** Depending on the Led Bulb Selected
- \\ **Dimmable:** No
- \\ **CRI:** Depending on the Selected Bulb
- \\ **IP:** 20
- \\ **Life expectancy:** Depending on the Selected Bulb
- \\ **Measurements:** D400*H1650mm



Light-mode

Light-mode \$975+VAT



NAME Kabuki Art Glass Floor Lamp

MODEL N23* RJF-038 Black

PARAMETERS

- \\ **Finish:**Black Acrylic
- \\ **Technology:**Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:**24W
- \\ **Voltage:**240V
- \\ **Lumen:**Not Defined
- \\ **Color Temperature:** 2700K
- \\ **Dimmable:**Yes
- \\ **CRI:**95
- \\ **IP:** For Indoor and Outdoor
- \\ **Life expectancy:** 30,000
- \\ **Measurements:** D500*H1660mm

Light-mode

Light-mode \$975+VAT



NAME Kabuki Art Glass Floor Lamp

MODEL N23* RJF-038 White

PARAMETERS

- \\ **Finish:** White Acrylic
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 24W
- \\ **Voltage:** 240V
- \\ **Lumen:** Not Defined
- \\ **Color Temperature:** 2700K
- \\ **Dimmable:** Yes
- \\ **CRI:** 95
- \\ **IP:** For Indoor and Outdoor
- \\ **Life expectancy:** 30,000
- \\ **Measurements:** D500*H1660mm



Light-mode

Light-mode \$ 975 + VAT



NAME Kabuki Art Glass Floor Lamp

MODEL N23* RJF-038 Blue

PARAMETERS

- \\ **Finish:**Blue Acrylic
- \\ **Technology:**Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:**24W
- \\ **Voltage:**240V
- \\ **Lumen:**Not Defined
- \\ **Color Temperature:** 2700K
- \\ **Dimmable:**Yes
- \\ **CRI:**95
- \\ **IP:** For Indoor and Outdoor
- \\ **Life expectancy:** 30,000
- \\ **Measurements:** D500*H1660mm

Light-mode

Light-mode \$975+VAT



NAME Kabuki Art Glass Floor Lamp

MODEL N23* RJF-038 Clear

PARAMETERS

- \\ **Finish:** Clear Acrylic
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 24W
- \\ **Voltage:** 240V
- \\ **Lumen:** Not Defined
- \\ **Color Temperature:** 2700K
- \\ **Dimmable:** Yes
- \\ **CRI:** 95
- \\ **IP:** For Indoor and Outdoor
- \\ **Life expectancy:** 30,000
- \\ **Measurements:** D500*H1660mm

Light-mode

Light-mode \$975+VAT



NAME Kabuki Art Glass Floor Lamp

MODEL N23* RJF-038 Purple

PARAMETERS

- \\ **Finish:** Purple Acrylic
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 24W
- \\ **Voltage:** 240V
- \\ **Lumen:** Not Defined
- \\ **Color Temperature:** 2700K
- \\ **Dimmable:** Yes
- \\ **CRI:** 95
- \\ **IP:** For Indoor and Outdoor
- \\ **Life expectancy:** 30,000
- \\ **Measurements:** D500*H1660mm

Light-mode

Light-mode \$975+VAT



NAME Kabuki Art Glass Floor Lamp

MODEL N23* RJF-038 Pink

PARAMETERS

- \\ **Finish:** Pink Acrylic
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 24W
- \\ **Voltage:** 240V
- \\ **Lumen:** Not Defined
- \\ **Color Temperature:** 2700K
- \\ **Dimmable:** Yes
- \\ **CRI:** 95
- \\ **IP:** For Indoor and Outdoor
- \\ **Life expectancy:** 30,000
- \\ **Measurements:** D500*H1660mm

Light-mode

Light-mode \$975+VAT



NAME Kabuki Art Glass Floor Lamp

MODEL N23* RJF-038 Green

PARAMETERS

- \\ **Finish:** Green Acrylic
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 24W
- \\ **Voltage:** 240V
- \\ **Lumen:** Not Defined
- \\ **Color Temperature:** 2700K
- \\ **Dimmable:** Yes
- \\ **CRI:** 95
- \\ **IP:** For Indoor and Outdoor
- \\ **Life expectancy:** 30,000
- \\ **Measurements:** D500*H1660mm

Light-mode

Light-mode \$336+VAT



NAME DSO


MODEL N23* LC-E01 & LC-E02

PARAMETERS

- \\ **Finish:** White Or Black Metal Body
- \\ **Technology:** Factory Assembled SOLAR
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 8W
- \\ **Voltage:** 240V
- \\ **Lumen:** Not Defined
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** Yes
- \\ **CRI:** 80
- \\ **IP:** 65
- \\ **Life expectancy:** 50,000Hrs
- \\ **Measurements:** D51*H171CM

Light-mode

Light-mode \$312+VAT



NAME DEO

MODEL N23* LC-E03 & LC-E04

PARAMETERS

- \\ **Finish:** White Or Black Metal Body
- \\ **Technology:** Factory Assembled Wired
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 8W
- \\ **Voltage:** 240V
- \\ **Lumen:** Not Defined
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** Yes
- \\ **CRI:** 80
- \\ **IP:** 65
- \\ **Life expectancy:** 50,000Hrs
- \\ **Measurements:** D51*H171CM

Light-mode

4.21

ENTERTAINMENT FLOOR LAMP

Light-mode \$76 + VAT



NAME Modern Led Corner Floor Lamp

MODEL N23* FF.Q1

PARAMETERS

- \\ **Finish:**Black and White
- \\ **Technology:**Assembled Sylycone Strip
- \\ **Lampholder:**Not Applicable
- \\ **Wattage:**Not Applicable
- \\ **Voltage:**Included Power Supply
- \\ **Lumen:**Not Applicable
- \\ **Color Temperature:**RGBIC
- \\ **Dimmable:**Yes
- \\ **CRI:**Not Applicable
- \\ **IP:** 65
- \\ **Life expectancy:** 30,000
- \\ **Measurements:** 1420x240x240mm



Light-mode \$282+VAT



NAME Modern Design RGB Face Floor Lamp

MODEL N23* TL78-L-RGB

PARAMETERS

\\ **Finish:**Black Aluminum + Iron

\\ **Technology:**RGB Sylycone Strip

\\ **Lampholder:** Not Applicable

\\ **Wattage:**24W

\\ **Voltage:**240V

\\ **Lumen:**Not Defined

\\ **Color Temperature:**RGB


\\ **Dimmable:**Polarless Dimmable With Remote Control

\\ **CRI:**Not Applicable

\\ **IP:** 20

\\ **Life expectancy:** 30,000

\\ **Measurements:**D500*W220*H1550mm



Light-mode

Promotion price: 71\$

Light-mode ~~\$ 83~~ + VAT



NAME Alaska I Biurkowa

MODEL 3728

PARAMETERS

\\ **Finish:** Electroplated Steel

\\ **Technology:** LED or Halogen

\\ **Lampholder:** E27

\\ **Wattage:**

8W (LED)

45W (Halogen)

60W (Incandescent)

\\ **Voltage:** 220V

\\ **Lumen:** 560

\\ **Color Temperature:** 2700K (I&L)

\\ **Dimmable:** Yes (if requested)

\\ **CRI:** 80

\\ **IP:** 20

\\ **Life expectancy:**

20,000hrs (LED)

2,000hrs (Halogen)

1,000hrs (Incandescent)

\\ **Measurements:** Height (mm): 560 ; Diameter (mm): 190

\\ **Material:** Electroplated Steel & Shade



Light-mode

Promotion price: 101\$

Light-mode ~~\$ 119~~ + VAT



NAME Odessa Chrom S

MODEL 4725

PARAMETERS

Finish: Painted Steel Chrome

Technology: LED or Halogen or Incandescent Retrofit

Lampholder: E27

Wattage:

8W (LED)

45W (Halogen)

60W (Incandescent)

Voltage: 220V

Lumen: 560

Color Temperature: 2700K (I&L) / 3000K (H&L) / 4000K (L)

Dimmable: Yes (if requested)

CRI: 80

IP: 20

Life expectancy:

20,000hrs (LED)

2,000hrs (Halogen)


1,000hrs (Incandescent)

Measurements: Height (mm): 500 ; Length (mm): 500

Material: Electroplated Steel

Light-mode

Light-mode \$ 83 + VAT



NAME Rosario Gray

MODEL 5091

PARAMETERS

- || **Finish:** Gray
- || **Technology:** LED or Halogen or Incandescent Retrofit
- || **Lampholder:** E27
- || **Wattage:**
 - 8W (LED)
 - 45W (Halogen)
 - 60W (Incandescent)
- || **Voltage:** 220V
- || **Lumen:** 560
- || **Color Temperature:** 2700K (I&L) / 3000K (H&L) / 4000K (L)
- || **Dimmable:** Yes (if requested)
- || **CRI:** 80
- || **IP:** 20
- || **Life expectancy:**
 - 20,000hrs (LED)
 - 2,000hrs (Halogen)
 - 1,000hrs (Incandescent)
- || **Measurements:** Height (mm): 430 ; Diameter (mm): 320
- || **Material:** Shade & Ceramics

Light-mode \$ 83 +VAT



NAME Rosario Gold

MODEL 5092

PARAMETERS

Finish: Gold

Technology: LED

Lampholder: E27

Wattage:

8W (LED)

45W (Halogen)

60W (Incandescent)

Voltage: 220V

Lumen: 560

Color Temperature: 2700K (I&L) / 3000K (H&L) / 4000K (L)

Dimmable: Yes (if requested)

CRI: 80

IP: 20

Life expectancy:

20,000hrs (LED)

2,000hrs (Halogen)

1,000hrs (Incandescent)

Measurements: Height (mm): 430 ; Diameter (mm): 320

Material: Shade & Ceramics



Light-mode \$ 90 + VAT



NAME Plata Black

MODEL 5093

PARAMETERS

- || **Finish:** Black
- || **Technology:** LED or Halogen or Incandescent Retrofit
- || **Lampholder:** E27
- || **Wattage:**
 - 8W (LED)
 - 45W (Halogen)
 - 60W (Incandescent)
- || **Voltage:** 220V
- || **Lumen:** 560
- || **Color Temperature:** 2700K (I&L) / 3000K (H&L) / 4000K (L)
- || **Dimmable:** Yes (if requested)
- || **CRI:** 80
- || **IP:** 20
- || **Life expectancy:**
 - 20,000hrs (LED)
 - 2,000hrs (Halogen)
 - 1,000hrs (Incandescent)
- || **Measurements:** Height (mm): 400 ; Diameter (mm): 260
- || **Material:** Shade & Ceramics

Light-mode \$ 116 + VAT



NAME Across M

MODEL 5690

PARAMETERS

\\ **Finish:** White Shade & Wood

\\ **Technology:** LED or Halogen

\\ **Lampholder:** E27

\\ **Wattage:**

8W (LED)

45W (Halogen)

60W (Incandescent)

\\ **Voltage:** 220V

\\ **Lumen:** 560

\\ **Color Temperature:** 2700K

\\ **Dimmable:** Yes (if requested)

\\ **CRI:** 80

\\ **IP:** 20

\\ **Life expectancy:**

20,000hrs (LED)

2,000hrs (Halogen)

1,000hrs (Incandescent)

\\ **Measurements:** Height (mm): 740; Diameter (mm): 470

\\ **Material:** Plywood & Shade



Light-mode \$ 67 + VAT



NAME Ingenuita

MODEL 8040113

PARAMETERS

Finish: Chrome, White & Pink

Technology: LED or Halogen or Incandescent Retrofit

Lampholder: E27

Wattage:

8W (LED)

45W (Halogen)

60W (Incandescent)

Voltage: 220V

Lumen: 560

Color Temperature: 2700K (I&L) / 3000K (H&L) / 4000K (L)

Dimmable: Yes (if requested)

CRI: 80

IP: 20

Life expectancy:

20,000hrs (LED)

2,000hrs (Halogen)

1,000hrs (Incandescent)

Measurements: Height (mm): 380 ; Diameter (mm): 200

Material: Metal & Plastic

Light-mode \$ 67 + VAT



NAME Ingenuita

MODEL 8040188

PARAMETERS

Finish: Chrome, White & Blue

Technology: LED or Halogen or Incandescent Retrofit

Lampholder: E27

Wattage:

8W (LED)

45W (Halogen)

60W (Incandescent)

Voltage: 220V

Lumen: 560

Color Temperature: 2700K (I&L) / 3000K (H&L) / 4000K (L)

Dimmable: Yes (if requested)

CRI: 80

IP: 20

Life expectancy:

20,000hrs (LED)

2,000hrs (Halogen)

1,000hrs (Incandescent)

Measurements: Height (mm): 380 ; Diameter (mm): 200

Material: Metal & Plastic

Light-mode \$ 141 + VAT



NAME Tilda

MODEL 6611560

PARAMETERS

Finish: Birch, Chrome & White

Technology: LED or Halogen or Incandescent Retrofit

Lampholder: E27

Wattage:

8W (LED)

45W (Halogen)

60W (Incandescent)

Voltage: 220V

Lumen: 560

Color Temperature: 2700K (I&L) / 3000K (H&L) / 4000K (L)

Dimmable: Yes (if requested)

CRI: 80

IP: 20

Life expectancy:

20,000hrs (LED)

2,000hrs (Halogen)

1,000hrs (Incandescent)

Measurements: Height (mm): 435 ; Diameter (mm): 300

Material: Wood, Metal & Fabric

Light-mode \$ 154 + VAT



NAME Tilda

MODEL 6614170

PARAMETERS

- || **Finish:** Birch, Chrome & Anthracite
- || **Technology:** LED or Halogen or Incandescent Retrofit
- || **Lampholder:** E27
- || **Wattage:**
 - 8W (LED)
 - 45W (Halogen)
 - 60W (Incandescent)
- || **Voltage:** 220V
- || **Lumen:** 560
- || **Color Temperature:** 2700K (I&L) / 3000K (H&L) / 4000K (L)
- || **Dimmable:** Yes (if requested)
- || **CRI:** 80
- || **IP:** 20
- || **Life expectancy:**
 - 20,000hrs (LED)
 - 2,000hrs (Halogen)
 - 1,000hrs (Incandescent)
- || **Measurements:** Height (mm): 435 ; Diameter (mm): 300
- || **Material:** Wood, Metal & Fabric

Light-mode \$ 141 + VAT



NAME Tilda

MODEL 6614660

PARAMETERS

Finish: Birch, Chrome & Anthracite (& Red)

Technology: LED or Halogen or Incandescent Retrofit

Lampholder: E27

Wattage:

8W (LED)

45W (Halogen)

60W (Incandescent)

Voltage: 220V

Lumen: 560

Color Temperature: 2700K (I&L) / 3000K (H&L) / 4000K (L)

Dimmable: Yes (if requested)

CRI: 80

IP: 20

Life expectancy:

20,000hrs (LED)

2,000hrs (Halogen)

1,000hrs (Incandescent)

Measurements: Height (mm): 435 ; Diameter (mm): 300

Material: Wood, Metal & Fabric

5.1

DECORATIVE TABLE LAMP

Light-mode \$ 57 + VAT



NAME Trongo

MODEL 7071631

PARAMETERS

\\ **Finish:** Beech/Red

\\ **Technology:** Retrofit Led Or Halogen Or Incandescent

\\ **Lampholder:** E27

\\ **Wattage:** Max 60W

\\ **Voltage:** Main Voltage

\\ **Lumen:** Not Applicable

\\ **Color Temperature:** Any

\\ **Dimmable:** Possible

\\ **CRI:** More Than 80

\\ **IP:** 20

\\ **Life expectancy:**

1,000Hours For Incandescent

3,000Hours For Halogen

20,000Hours For LED

\\ **Measurements:** Height: 10cm; Diameter:10cm

\\ **Material:** Wood & Metal

Light-mode

5.1

DECORATIVE TABLE LAMP

Light-mode \$ 120 + VAT



NAME JERONA

MODEL 7050109

PARAMETERS

\\ **Finish:** Olive and Chrome

\\ **Technology:** Retrofit Led Or Halogen Or Incandescent

\\ **Lampholder:** E27

\\ **Wattage:** Max 60W

\\ **Voltage:** Main Voltage

\\ **Lumen:** Not Applicable

\\ **Color Temperature:** Any

\\ **Dimmable:** Possible

\\ **CRI:** More Than 80

\\ **IP:** 20

\\ **Life expectancy:**

1,000Hours For Incandescent

3,000Hours For Halogen

20,000Hours For LED

\\ **Measurements:** Height: 60cm

\\ **Material:** Metal



Light-mode

Light-mode \$ 83 + VAT



NAME APPLE

MODEL 9962102

PARAMETERS

Finish: White Glass and Chrome Metal

Technology: Retrofit

Lampholder: E14

Wattage: 1xMax40W

Voltage: Main Voltage

Lumen: Not Applicable

Color Temperature: Not Applicable

Dimmable: Possible

CRI: More Than 80

IP: 20

Life expectancy: Not Applicable

Measurements: Diameter: 20cm Height: 28 cm

Light-mode

Light-mode \$ 117 + VAT



NAME APPLE

MODEL 9963102

PARAMETERS

\\ **Finish:** White Glass and Chrome Metal

\\ **Technology:** Retrofit

\\ **Lampholder:** E14

\\ **Wattage:** 1xMax40W

\\ **Voltage:** Main Voltage

\\ **Lumen:** Not Applicable

\\ **Color Temperature:** Not Applicable

\\ **Dimmable:** Possible

\\ **CRI:** More Than 80

\\ **IP:** 20

\\ **Life expectancy:** Not Applicable

\\ **Measurements:** Diameter:30cm Height: 35 cm

Light-mode



Light-mode \$47 + VAT

NAME LOFT ANTIQUE

MODEL 5051

PARAMETERS

Finish: Ecrú Metal and Copper Lampshade

Technology: Retrofit

Lampholder: 1xE27

Wattage: 1xMax60W

Voltage: Main Voltage

Lumen: Not Applicable

Color Temperature: Not Applicable

Dimmable: Possible

CRI: Not Applicable

IP: 20

Life expectancy: Not Applicable

Measurements: Height 48 cm; Diameter: 24cm



Light-mode

Light-mode \$45+ VAT



NAME LUCIE

MODEL 7552104

PARAMETERS

\\ **Finish:**Black | white Metal/Fabric

\\ **Technology:**Retrofit

\\ **Lampholder:** E27

\\ **Wattage:**Max 40W

\\ **Voltage:**Main Voltage

\\ **Lumen:**N/A

\\ **Color Temperature:**N/A

\\ **Dimmable:**NO

\\ **CRI:**N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** Ø200x320 mm

Light-mode

Light-mode \$45+ VAT



NAME FELIX

MODEL 7801108

PARAMETERS

- \\ **Finish:** Pastel Blue | Metal
- \\ **Technology:** Retrofit
- \\ **Lampholder:** E27
- \\ **Wattage:** Max 40W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** N/A
- \\ **Color Temperature:** N/A
- \\ **Dimmable:** NO
- \\ **CRI:** N/A
- \\ **IP:** 20
- \\ **Life expectancy:** N/A
- \\ **Measurements:** 650x140x700 mm

Light-mode

Light-mode \$45+ VAT



NAME FELIX

MODEL 7801106

PARAMETERS

- \\ **Finish:** Red | Metal
- \\ **Technology:** Retrofit
- \\ **Lampholder:** E27
- \\ **Wattage:** Max 40W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** N/A
- \\ **Color Temperature:** N/A
- \\ **Dimmable:** NO
- \\ **CRI:** N/A
- \\ **IP:** 20
- \\ **Life expectancy:** N/A
- \\ **Measurements:** 650x140x700 mm

Light-mode

Light-mode \$98+ VAT



NAME MAKEUP LED

MODEL 9504

PARAMETERS

\\ **Finish:** glass, acrylic, Chrome steel

\\ **Technology:** Factory Assembled

\\ **Lampholder:** N/A

\\ **Wattage:** 11W

\\ **Voltage:** Main Voltage

\\ **Lumen:** 43

\\ **Color Temperature:** 4000K

\\ **Dimmable:** NO

\\ **CRI:** 80

\\ **IP:** 44

\\ **Life expectancy:** 2000Hrs

\\ **Measurements:** H: 360mm W: 200mm



Light-mode

Light-mode \$71+ VAT



NAME MODENA

MODEL 5263

PARAMETERS

\\ **Finish:** White Shade And Acrylic Crystal

\\ **Technology:** Retrofit

\\ **Lampholder:** E14

\\ **Wattage:** 1max40W

\\ **Voltage:** Main Voltage

\\ **Lumen:** 20

\\ **Color Temperature:** N/A


\\ **Dimmable:** NO

\\ **CRI:** N/A

\\ **IP:** 20

\\ **Life expectancy:** N/A

\\ **Measurements:** H: 410mm D: 160mm



Light-mode

Light-mode \$115 + VAT



NAME Marching Hares

MODEL N23* 20695

PARAMETERS

\\ **Finish:** Green Velvet Shade & Antique Gold

\\ **Technology:** Retrofit

\\ **Lampholder:** E27

\\ **Wattage:** up to 12W

\\ **Voltage:** Main Voltage

\\ **Lumen:** Not Applicable

\\ **Color Temperature:** Not Applicable

\\ **Dimmable:** No

\\ **CRI:** Not Applicable

\\ **IP:** 20

\\ **Life expectancy:** Not Applicable

\\ **Measurements:** Diameter: 280mm H :480



Light-mode

Light-mode \$115 + VAT



NAME Gold Pair Of Ducks

MODEL N23* 21460

PARAMETERS

\\ **Finish:** Gold Table Lamp With Velvet Shade

\\ **Technology:** Retrofit

\\ **Lampholder:** E27

\\ **Wattage:** up to 12W

\\ **Voltage:** Main Voltage

\\ **Lumen:** Not Applicable

\\ **Color Temperature:** Not Applicable

\\ **Dimmable:** No

\\ **CRI:** Not Applicable

\\ **IP:** 20

\\ **Life expectancy:** Not Applicable

\\ **Measurements:** Diameter: 270mm H :480



Light-mode

Light-mode \$177 + VAT



NAME Gold Flamingo

MODEL N23* 20223

PARAMETERS

\\ **Finish:**Antique Gold With Mustard Velvet Shade

\\ **Technology:**Retrofit

\\ **Lampholder:** E27

\\ **Wattage:** up to 12W

\\ **Voltage:**Main Voltage

\\ **Lumen:**Not Applicable

\\ **Color Temperature:**Not Applicable

\\ **Dimmable:**No

\\ **CRI:**Not Applicable

\\ **IP:** 20

\\ **Life expectancy:** Not Applicable

\\ **Measurements:** Diameter: 400mm H :650



Light-mode

Light-mode \$230 + VAT



NAME Silver Giraffe

MODEL N23* 21459

PARAMETERS

\\ **Finish:** Silver Giraffe With Grey Velvet Shade

\\ **Technology:** Retrofit

\\ **Lampholder:** E27

\\ **Wattage:** up to 12W

\\ **Voltage:** Main Voltage

\\ **Lumen:** Not Applicable

\\ **Color Temperature:** Not Applicable

\\ **Dimmable:** No

\\ **CRI:** Not Applicable

\\ **IP:** 20

\\ **Life expectancy:** Not Applicable

\\ **Measurements:** Diameter: 400mm H :700



Light-mode

Light-mode \$166 + VAT



NAME Florence the Flamingo

MODEL N23* 21656

PARAMETERS

\\ **Finish:** Silver Table Lamp With Grey Shade

\\ **Technology:** Retrofit

\\ **Lampholder:** E27

\\ **Wattage:** up to 12W

\\ **Voltage:** Main Voltage

\\ **Lumen:** Not Applicable

\\ **Color Temperature:** Not Applicable

\\ **Dimmable:** No

\\ **CRI:** Not Applicable

\\ **IP:** 20

\\ **Life expectancy:** Not Applicable

\\ **Measurements:** Diameter: 280mm H :610



Light-mode

Light-mode \$187 + VAT



NAME Gary The Goose Silver

MODEL N23* 21667

PARAMETERS

\\ **Finish:** Silver Table Lamp With Grey Velvet Shade

\\ **Technology:** Retrofit

\\ **Lampholder:** E27

\\ **Wattage:** up to 12W

\\ **Voltage:** Main Voltage

\\ **Lumen:** Not Applicable

\\ **Color Temperature:** Not Applicable

\\ **Dimmable:** No

\\ **CRI:** Not Applicable

\\ **IP:** 20

\\ **Life expectancy:** Not Applicable

\\ **Measurements:** Diameter: 380mm H :580



Light-mode

Light-mode \$187 + VAT



NAME Gary The Goose

MODEL N23* 21668

PARAMETERS

\\ **Finish:** Gold Table Lamp With Emerald Velvet Shade

\\ **Technology:** Retrofit

\\ **Lampholder:** E27

\\ **Wattage:** up to 12W

\\ **Voltage:** Main Voltage

\\ **Lumen:** Not Applicable

\\ **Color Temperature:** Not Applicable

\\ **Dimmable:** No

\\ **CRI:** Not Applicable

\\ **IP:** 20

\\ **Life expectancy:** Not Applicable

\\ **Measurements:** Diameter: 380mm H :580



Light-mode

Light-mode \$153+VAT



NAME Bird Design Table Lamp

MODEL N23* LD54IT-2

PARAMETERS

\\ **Finish:**Black & Gold / Iron & Acrylic

\\ **Technology:**Factory Assembled

\\ **Lampholder:** Not Applicable

\\ **Wattage:**2x10W

\\ **Voltage:**240V

\\ **Lumen:**Not Defined

\\ **Color Temperature:**3000K

\\ **Dimmable:**No

\\ **CRI:**Not Applicable

\\ **IP:**20

\\ **Life expectancy:**30,000

\\ **Measurements:**W180*H530mm



Light-mode

Light-mode \$258+VAT



NAME Wood Stretch Yarn Table Lamp

MODEL N23* LD336

PARAMETERS

\\ **Finish:** As Picture / Wood + stretch yarn + EU plug

\\ **Technology:** Retrofit

\\ **Lampholder:** 1xE27

\\ **Wattage:** Any Led Bulb

\\ **Voltage:** 240V

\\ **Lumen:** Depending on Led Bulb

\\ **Color Temperature:** Depending on Led Bulb

\\ **Dimmable:** No

\\ **CRI:** Not Applicable

\\ **IP:** 20

\\ **Life expectancy:** Depending on Led Bulb

\\ **Measurements:** D390*H420mm

Light-mode

Light-mode \$165+VAT



NAME Dark Glass Table Lamp

MODEL N23* LD336

PARAMETERS

- \\ **Finish:**As Picture / Iron+Glass + EU plug
- \\ **Technology:**Retrofit
- \\ **Lampholder:** 1xE27
- \\ **Wattage:**Any Led Bulb
- \\ **Voltage:**240V
- \\ **Lumen:**Depending on Led Bulb
- \\ **Color Temperature:**Depending on Led Bulb
- \\ **Dimmable:**No
- \\ **CRI:**Not Applicable
- \\ **IP:** 20
- \\ **Life expectancy:**Depending on Led Bulb
- \\ **Measurements:**D300*H280mm



Light-mode

5.31

DECORATIVE MAGNETIC TABLE LAMP

Light-mode \$109 + VAT



NAME TOP Levitating Bulb Light

MODEL GB005B-B

PARAMETERS

- \\ **Finish:**Black
- \\ **Technology:**Magnet
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:**Not Applicable
- \\ **Voltage:**Main Voltage
- \\ **Lumen:**Not Applicable
- \\ **Color Temperature:**Not Applicable
- \\ **Dimmable:**No
- \\ **CRI:**Not Applicable
- \\ **IP:** 20
- \\ **Life expectancy:** Not Applicable
- \\ **Measurements:** 150x365mm



5.31

DECORATIVE MAGNETIC TABLE LAMP

Light-mode \$134 + VAT



NAME Levitating Star Starry RGB

MODEL SM10-CG-SL

PARAMETERS

- || **Finish:**Black
- || **Technology:**Magnet and Rechargeable
- || **Lampholder:** Not Applicable
- || **Wattage:**Not Applicable
- || **Voltage:**Main Voltage
- || **Lumen:**30lm
- || **Color Temperature:**RGB
- || **Dimmable:**Yes
- || **CRI:**60
- || **IP:**20
- || **Life expectancy:**30,000Hrs
- || **Measurements:**172x140mm



Light-mode

5.31

DECORATIVE MAGNETIC TABLE LAMP

Light-mode \$134 + VAT

Levitation 3D Moon Light



NAME Floating Luna

MODEL SIM10-GW5

PARAMETERS

- \\ **Finish:** Wood
- \\ **Technology:** Magnet and Rechargeable
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** Not Applicable
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 30lm
- \\ **Color Temperature:** Dynamic White
- \\ **Dimmable:** Yes
- \\ **CRI:** 60
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000Hrs
- \\ **Measurements:** 134x140mm



5.31

DECORATIVE MAGNETIC TABLE LAMP

Light-mode \$134 + VAT



NAME Lamp Star Moon Galaxy

MODEL SIM10-GW5-G

PARAMETERS

- \\ **Finish:** Wood
- \\ **Technology:** Magnet And Rechargeable
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** Not Applicable
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 30lm
- \\ **Color Temperature:** Dynamic White
- \\ **Dimmable:** Yes
- \\ **CRI:** 60
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000Hrs
- \\ **Measurements:** 134x140mm



5.31

DECORATIVE MAGNETIC TABLE LAMP

Light-mode \$130 + VAT



NAME Levitating Rose Eternal Lamp

MODEL SIM10-F90

PARAMETERS

\\ **Finish:** Wood + Transparent Shade

\\ **Technology:** Magnet And Real Rose Inside

\\ **Lampholder:** Not Applicable

\\ **Wattage:** Not Applicable

\\ **Voltage:** Main Voltage

\\ **Lumen:** 50lm

\\ **Color Temperature:** 2700K

\\ **Dimmable:** NO

\\ **CRI:** 60

\\ **IP:** 20

\\ **Life expectancy:** 30,000Hrs

\\ **Measurements:** 134x134x Diam90mm



5.31

DECORATIVE MAGNETIC TABLE LAMP

Light-mode \$132 + VAT



NAME Light Bulb Floating

MODEL SIM10-PD

PARAMETERS

Finish: Wood + Transparent Bulb

Technology: Magnet

Lampholder: Not Applicable

Wattage: Not Applicable

Voltage: Main Voltage

Lumen: 60lm

Color Temperature: 2700K

Dimmable: YES

CRI: 50

IP: 20

Life expectancy: 36,000Hrs

Measurements: 135x135x H110



Light-mode \$ 134 + VAT




NAME Soft White 90

MODEL 6980

PARAMETERS

- // **Finish:** White
- // **Technology:** Fluorescent
- // **Lampholder:** G5
- // **Wattage:** 39W
- // **Voltage:** 220V
- // **Lumen:** 3900
- // **Color Temperature:** 2700K / 3000K / 4000K.
- // **Dimmable:** No
- // **CRI:** 80
- // **IP:** 20
- // **Life expectancy:** 10,000hrs
- // **Measurements:** Length (mm): 1200 ; Width (mm): 90
Depth (mm): 60
- // **Material:** Painted Steel & PMMA



Light-mode \$ 140 +VAT



NAME Missisipi I Zwis Chrom L

MODEL 5355

PARAMETERS

- // **Finish:** White
- // **Technology:** Chrome
- // **Lampholder:** G5
- // **Wattage:** 21W
- // **Voltage:** 220V
- // **Lumen:** 2100
- // **Color Temperature:** 2700K / 3000K / 4000K.
- // **Dimmable:** No
- // **CRI:** 80
- // **IP:** 20
- // **Life expectancy:** 10,000hrs
- // **Measurements:** Length (mm): 1100
- // **Material:** Steel, Glass & Plastic



Light-mode \$127 + VAT



NAME Table Lamp by Thorgeon

MODEL N23* 4751029896346

PARAMETERS

- \\ **Finish:**Black
- \\ **Technology:**Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:**12W
- \\ **Voltage:**Main Voltage
- \\ **Lumen:**200lm
- \\ **Color Temperature:**3800K- 4600K
- \\ **Dimmable:**YES
- \\ **CRI:**80-89
- \\ **IP:**20
- \\ **Life expectancy:**50,000Hrs L70/B50
- \\ **Measurements:**Length: 110mm Width: 225mm H :190



Light-mode

Light-mode \$116 + VAT



NAME Table Lamp by Thorgeon

MODEL N23* 4751029896346

PARAMETERS

- \\ **Finish:**Black
- \\ **Technology:**Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:**18W
- \\ **Voltage:**Main Voltage
- \\ **Lumen:**350lm
- \\ **Color Temperature:**2800K- 6000K
- \\ **Dimmable:**YES
- \\ **CRI:**80-89
- \\ **IP:**20
- \\ **Life expectancy:**50,000Hrs L70/B50
- \\ **Measurements:**Length: 200mm Width: 140mm



Light-mode

7.1

DECORATIVE OUTDOOR FIXTURE

Light-mode \$ 258 + VAT



NAME Horse

MODEL 4900

PARAMETERS

- \\ **Finish:**As Picture
- \\ **Technology:**Retrofit Led Or Halogen Or Incandescent
- \\ **Lampholder:** 1xE27
- \\ **Wattage:**Max 60W
- \\ **Voltage:**Main Voltage
- \\ **Lumen:**Not Applicable
- \\ **Color Temperature:** Any
- \\ **Dimmable:**Possible
- \\ **CRI:**More Than 80
- \\ **IP:** 44
- \\ **Life expectancy:**
1,000Hours For Incandescent
3,000Hours For Halogen
20,000Hours For LED
- \\ **Measurements:**Height: 52cm; Depth: 30cm
- \\ **Material:**Polyresin and Glass

Light-mode

7.1

DECORATIVE OUTDOOR FIXTURE

Light-mode \$ 124 + VAT



NAME Lanter

MODEL 6911

PARAMETERS

- \\ **Finish:**As Picture
- \\ **Technology:**Retrofit Led Or Halogen Or Incandescent
- \\ **Lampholder:** 1xE27
- \\ **Wattage:**Max 60W
- \\ **Voltage:**Main Voltage
- \\ **Lumen:**Not Applicable
- \\ **Color Temperature:** Any
- \\ **Dimmable:**Possible
- \\ **CRI:**More Than 80
- \\ **IP:** 23
- \\ **Life expectancy:**
1,000Hours For Incandescent
3,000Hours For Halogen
20,000Hours For LED
- \\ **Measurements:**Height: 48cm; Depth:25cm
- \\ **Material:**Aluminium and Glass

Light-mode

7.1

DECORATIVE OUTDOOR FIXTURE

Light-mode \$ 179 + VAT



NAME CUMULUS

MODEL 9607

PARAMETERS

- \\ **Finish:**As Picture
- \\ **Technology:**RETROFIT
- \\ **Lampholder:** 1xE27
- \\ **Wattage:** 1x60W
- \\ **Voltage:**Main Voltage
- \\ **Lumen:**Not Applicable
- \\ **Color Temperature:** Any
- \\ **Dimmable:**Possible
- \\ **CRI:** More Than 80
- \\ **IP:** 65
- \\ **Life expectancy:** Not Applicable
- \\ **Measurements:** Height:53 / 140cm; Diameter:60cm
- \\ **Material:**PE



Light-mode

Architectural Recessed Downlight

Light-mode \$ 30 + VAT



NAME Square Recessed LED Downlight

MODEL SDL-C 1000

PARAMETERS

- // **Finish:** White
- // **Technology:** LED
- // **Lampholder:** Factory Assembled
- // **Wattage:** 18W
- // **Voltage:** 220V
- // **Lumen:** 1500
- // **Color Temperature:** 3000K / 4000K
- // **Dimmable:** No
- // **CRI:** 80
- // **IP:** 40
- // **Life expectancy:** 30,000hrs
- // **Measurements:** Square (mm): 225x225
- // **Material:** Aluminium

Light-mode

Light-mode \$ 24 . + VAT



NAME Round Recessed LED Downlight

MODEL SDL-R 1000

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** LED
- \\ **Lampholder:** Factory Assembled
- \\ **Wattage:** 18W
- \\ **Voltage:** 220V
- \\ **Lumen:** 1500
- \\ **Color Temperature:** 3000K / 4000K
- \\ **Dimmable:** No
- \\ **CRI:** 80
- \\ **IP:** 40
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** Diameter (mm): 225
- \\ **Material:** Aluminium


Architectural Recessed Downlight

Promotion price:
11\$

Promotion Price: 13\$


Light-mode ~~\$13~~ +VAT

Light-mode ~~\$15~~ +VAT



Promotion price: 14\$

Light-mode ~~\$17~~ +VAT



NAME Recessed Fixed Water-Tight Square

MODEL 104-D

PARAMETERS

- // **Finish:** White, Brush Nickel or Gold
- // **Technology:** Halogen or LED Retrofit
- // **Lampholder:** GU 5.3
- // **Wattage:**
 - 5W (LED)
 - 50W (Halogen)
- // **Voltage:** 12V
- // **Lumen:** 360 (LED)
- // **Color Temperature:** 2700K / 3000K / 4000K
- // **Dimmable:** Yes
- // **CRI:** 80
- // **IP:** 54
- // **Life expectancy:**
 - 25,000hrs (LED)
 - 3,000hrs (Halogen)
- // **Measurements:** Square (mm): 82x82
- // **Material:** Aluminium



NAME Recessed Fixed Water-Tight Round

MODEL 105-D

PARAMETERS


- // **Finish:** Brush Nickel
- // **Technology:** Halogen or LED Retrofit
- // **Lampholder:** GU 5.3
- // **Wattage:**
 - 5W (LED)
 - 50W (Halogen)
- // **Voltage:** 12V
- // **Lumen:** 360 (LED)
- // **Color Temperature:** 2700K / 3000K / 4000K
- // **Dimmable:** Yes
- // **CRI:** 80
- // **IP:** 54
- // **Life expectancy:**
 - 25,000hrs (LED)
 - 3,000hrs (Halogen)
- // **Measurements:** Diameter (mm): 82
- // **Material:** Aluminium

Promotion price: 9\$

Architectural Recessed Downlight

8

Light-mode ~~\$11~~ + VAT



NAME Ambience Recessed Fixed Squared

MODEL 434-D

PARAMETERS

Finish: White

Technology: Halogen or LED Retrofit

Lampholder: GU 5.3

Wattage:

5W (LED)

50W (Halogen)

Voltage: 12V

Lumen: 360 (LED)

Color Temperature: 2700K / 3000K / 4000K

Dimmable: Yes

CRI: 80

IP: 20

Life expectancy:

25,000hrs (LED)

3,000hrs (Halogen)

Measurements: Square (mm): 82x82

Material: Aluminium

Light-mode

8.1

ARCHITECTURAL RECESSED DOWNLIGHT

Promotion Price, 3 fixtures for 26\$

Light-mode \$ ~~30~~ + VAT

NAME LEDSDREAM

MODEL 2301303

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 4.5W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 360lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** No
- \\ **CRI:** More Than 80
- \\ **IP:** 20
- \\ **Life expectancy:** 20,000Hours
- \\ **Measurements:** Diameter:9cm



Light-mode

8.1

ARCHITECTURAL RECESSED DOWNLIGHT

Promotion price: 31\$

Light-mode ~~\$ 37 + VAT~~

NAME REC EXT

MODEL 50108-2963-90

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 8W
- \\ **Voltage:** Remote Driver Included
- \\ **Lumen:** 540lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** No
- \\ **CRI:** More Than 80
- \\ **IP:** 65
- \\ **Life expectancy:** 35,000Hours
- \\ **Measurements:** Diameter:7.6cm Depth: 5cm



Light-mode

8.1

ARCHITECTURAL RECESSED DOWNLIGHT

Light-mode \$ 30 + VAT

NAME FT502

MODEL

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 20W
- \\ **Voltage:** Remote Driver Included
- \\ **Lumen:** 1519lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** No
- \\ **CRI:** More Than 80
- \\ **IP:** 44
- \\ **Life expectancy:** 30,000Hours
- \\ **Measurements:** Diameter:22.5cm Depth: 4.1cm



Light-mode

Light-mode \$28+ VAT



NAME 505

MODEL N20*50520-2963-90

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 20W
- \\ **Voltage:** Integrated Remote Driver
- \\ **Lumen:** 1,600lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 44
- \\ **Life expectancy:** 30,000Hrs
- \\ **Measurements:** 215x215x40mm



Light-mode

Light-mode \$20+ VAT

NAME 515

MODEL N20*51507-2964-90

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 7W
- \\ **Voltage:** Integrated Remote Driver
- \\ **Lumen:** 525lm
- \\ **Color Temperature:** 4000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 44
- \\ **Life expectancy:** 30,000Hrs
- \\ **Measurements:** 110x50mm



Light-mode



Light-mode \$3+ VAT



NAME 630

MODEL N20*630D-90

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** Retrofit
- \\ **Lampholder:** Remote to be supplied separately
- \\ **Wattage:** Bulb Not Included to be supplied separately
- \\ **Voltage:** N/A
- \\ **Lumen:** N/A
- \\ **Color Temperature:** N/A
- \\ **Dimmable:** N/A
- \\ **CRI:** N/A
- \\ **IP:** 20
- \\ **Life expectancy:** N/A
- \\ **Measurements:** 77x100mm



Light-mode

Light-mode \$17 + VAT




NAME 504

MODEL N22* 50408-2983-16

PARAMETERS

- \\ **Finish:** MATT CHROME Finish
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 8W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 960lm/415lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 44
- \\ **Life expectancy:** 50,000Hrs
- \\ **Measurements:** 120x120x24mm



Light-mode

Light-mode \$23 + VAT



NAME 545

MODEL N22* 54512-2623-90

PARAMETERS

- \\ **Finish:** White Finish
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 12W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 1173lm/988lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 20
- \\ **Life expectancy:** 50,000Hrs
- \\ **Measurements:** 95x79mm



Light-mode

Light-mode \$18 + VAT


Único e innovador / Unique and innovative
 Dos fuentes de luz. Combinando consigue tres formas de iluminación: indirecta (ambiente), directa y completa; consiguiendo cubrir las necesidades estéticas, de luz y consumo del cliente. Fácil control mediante interruptor normal. Fácil instalación.

2 light sources. Combining it obtains 3 forms of lighting: indirect lighting, direct and complete; managing to cover the needs of design, light and consumption of the client. Easy control by means of normal switch.



SEQUENTIAL IGNITIONS. Pulsate the switch repeatedly and you will change the type of light

3



Turn off the switch, wait for 15 seconds and pulsate the switch again. It will begin the ignition base "indirect light"

NAME 547

MODEL N22* 54710-2983-90

PARAMETERS

- \\ **Finish:** White Finish
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 10W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 813lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000Hrs
- \\ **Measurements:** 120x35mm




Light-mode

Light-mode \$25 + VAT



Único e innovador / Unique and innovative
 Dos fuentes de luz. Combinando consigue tres formas de iluminación:
 indirecta (ambiente), directa y completa; consiguiendo cubrir las
 necesidades estéticas, de luz y consumo del cliente. Fácil control
 mediante interruptor normal. Fácil instalación.
 2 light sources. Combining it obtains 3 forms of lighting: indirect lighting,
 direct and complete; managing to cover the needs of design, light and
 consumption of the client. Easy control by means of normal switch.

SEQUENTIAL IGNITIONS. Pulsate the switch repeatedly and you will change the type of light



NAME 548

MODEL N22* 54822-2984-90

PARAMETERS

- \\ **Finish:** White Finish
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 22W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 1693lm
- \\ **Color Temperature:** 4000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000Hrs
- \\ **Measurements:** 180x180x35mm



Light-mode

Light-mode \$21 + VAT



NAME 551

MODEL N22* 55115-2980-90

PARAMETERS

- \\ **Finish:** White Finish
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 15W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 1061lm to 1173lm
- \\ **Color Temperature:** Dynamic White
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 44
- \\ **Life expectancy:** 30,000Hrs
- \\ **Measurements:** 162x30mm



Light-mode

Light-mode \$29 + VAT



NAME 557

MODEL N22*55732-2964-90

PARAMETERS

- \\ **Finish:** White Finish
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 32W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 2752lm
- \\ **Color Temperature:** 4000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 95
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000Hrs
- \\ **Measurements:** 224x224x30mm



Light-mode

Light-mode \$54 + VAT



NAME 593

MODEL N22* 59314-2622-9001

PARAMETERS

- \\ **Finish:** White and Black Finish
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 14W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 1176.86lm
- \\ **Color Temperature:** 2700K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 23
- \\ **Life expectancy:** 50,000Hrs
- \\ **Measurements:** 100x117mm

Light-mode

Light-mode \$64 + VAT



NAME 594

MODEL N22* 59414-2623-9001-A

PARAMETERS

- \\ **Finish:** White and Black Finish
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 14W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 1239lm/915lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 95
- \\ **IP:** 23
- \\ **Life expectancy:** 50,000Hrs
- \\ **Measurements:** 116x116x117mm

Light-mode

Liaht-mode \$19+VAT



NAME YW5

MODEL ED-YW-2.5C Black

PARAMETERS

Finish: Matt Black

Technology: Factory Assembled

Lampholder: Not Applicable

Wattage: 10W

Voltage: 200-240V

Lumen: 900lm

Color Temperature: 3000K

Dimmable: NO

CRI: 90

IP: 20

Life expectancy: 30,000hrs

Measurements: D100 H83 CO75



Light-mode

Light-mode \$19+VAT



NAME YW5

MODEL ED-YW-2.5C White

PARAMETERS

- \\ **Finish:** Matt White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 10W
- \\ **Voltage:** 200-240V
- \\ **Lumen:** 900lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** 90
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** D100 H83 CO75



Light-mode

Light-mode \$23+VAT



NAME GN-1

MODEL ED-GN2.5C-12W White

PARAMETERS

- \\ **Finish:** Matt White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 12W
- \\ **Voltage:** 100-240V
- \\ **Lumen:** 1080lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** 90
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** D75 H100 CO65



Light-mode

Light-mode \$23+VAT



NAME GN-1

MODEL ED-GN2.5C-12W Black

PARAMETERS

- \\ **Finish:** Matt Black
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 12W
- \\ **Voltage:** 100-240V
- \\ **Lumen:** 1080lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** 90
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** D75 H100 CO65



Light-mode

Light-mode \$29+VAT



NAME 55307

MODEL 55307-1980-90

PARAMETERS

- \\ **Finish:** Matt White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 7W
- \\ **Voltage:** 200-240V
- \\ **Lumen:** 840lm (Source), Real Lumen 574lm
- \\ **Color Temperature:** CCT
- \\ **Dimmable:** Yes / Phase Dimming
- \\ **CRI:** More Than 80
- \\ **IP:** 65
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** D87 H47 CO70



Light-mode

Light-mode \$33+VAT




NAME 55307

MODEL DC55301 + 55307-1980-90

PARAMETERS

- \\ **Finish:** Matt Black
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 7W
- \\ **Voltage:** 200-240V
- \\ **Lumen:** 840lm (Source), Real Lumen 574lm
- \\ **Color Temperature:** CCT
- \\ **Dimmable:** Yes / Phase Dimming
- \\ **CRI:** More Than 80
- \\ **IP:** 65
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** D87 H47 CO70



Light-mode

Light-mode \$21+VAT



NAME 009

MODEL 00901-2963-90

PARAMETERS

- \\ **Finish:** Matt White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 1W
- \\ **Voltage:** 200-240V
- \\ **Lumen:** 100lm (Source), Real Lumen 65lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** D33 H26 CO25



Light-mode

Architectural Surface Ceiling Downlight

Light-mode \$ 45 + VAT



NAME Square Downlight LED Surface.

MODEL SDL-SC 1000

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** LED
- \\ **Lampholder:** Factory Assembled
- \\ **Wattage:** 18W
- \\ **Voltage:** 220V
- \\ **Lumen:** 1500
- \\ **Color Temperature:** 3000K / 4000K
- \\ **Dimmable:** No
- \\ **CRI:** 80
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** Square (mm): 225x225x30
- \\ **Material:** Aluminium

Light-mode \$ 25 + VAT



NAME Round Downlight LED Surface.

MODEL SDL-SR 1000

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** LED
- \\ **Lampholder:** Factory Assembled
- \\ **Wattage:** 6W
- \\ **Voltage:** 220V
- \\ **Lumen:** 425
- \\ **Color Temperature:** 3000K / 4000K
- \\ **Dimmable:** No
- \\ **CRI:** 80
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** Diameter (mm): 120x30
- \\ **Material:** Aluminium

Light-mode \$ 45 + VAT



NAME Round Downlight LED Surface.

MODEL SDL-SR 1000

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** LED
- \\ **Lampholder:** Factory Assembled
- \\ **Wattage:** 18W
- \\ **Voltage:** 220V
- \\ **Lumen:** 425
- \\ **Color Temperature:** 4000K
- \\ **Dimmable:** No
- \\ **CRI:** 80
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** Diameter (mm): 225x30
- \\ **Material:** Aluminium

Light-mode \$30+ VAT



NAME 204

MODEL N20*20422-2983-90

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 22W
- \\ **Voltage:** Integrated driver
- \\ **Lumen:** 1518lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 33
- \\ **Life expectancy:** 50,000Hrs
- \\ **Measurements:** 220x220x35mm



Light-mode

Light-mode \$16+ VAT



NAME 205

MODEL N20*20508-2984-90

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 8W
- \\ **Voltage:** Integrated driver
- \\ **Lumen:** 476lm
- \\ **Color Temperature:** 4000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 33
- \\ **Life expectancy:** 50,000Hrs
- \\ **Measurements:** 120x35mm



Light-mode

Light-mode \$19 + VAT



NAME 204

MODEL N22* 20422-2984-04

PARAMETERS

- \\ **Finish:** Aluminium Grey
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 22W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 2640lm/1597lm
- \\ **Color Temperature:** 4000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 33
- \\ **Life expectancy:** 50,000Hrs
- \\ **Measurements:** 220x220x35mm



Light-mode

Light-mode \$14 + VAT



NAME 204

MODEL N22* 20415-2983-90

PARAMETERS

- \\ **Finish:** White Finish
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 15W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 1800lm/887lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 33
- \\ **Life expectancy:** 50,000Hrs
- \\ **Measurements:** 180x180x35mm



Light-mode

Light-mode \$18 + VAT



NAME 205

MODEL N22* 20522-2983-90

PARAMETERS

- \\ **Finish:** White Finish
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 22W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 2640lm/1692lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 33
- \\ **Life expectancy:** 50,000Hrs
- \\ **Measurements:** 220x35mm



Light-mode

Light-mode \$10 + VAT



NAME AMAZON BASIC by Philips

MODEL N23* 840095801126

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 17W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 1800lm
- \\ **Color Temperature:** 2700K
- \\ **Dimmable:** NO
- \\ **CRI:** 80
- \\ **IP:** 20
- \\ **Life expectancy:** 15,000Hrs
- \\ **Measurements:** 320mm Diameter, 68mm Height



Light-mode

Light-mode \$35+VAT



NAME BK

MODEL ED-BKY5H-20W White

PARAMETERS

- \\ **Finish:** Matt White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 20W
- \\ **Voltage:** 100-240V
- \\ **Lumen:** 1800
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** 90
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** D115 H160



Light-mode

9.5

ARCHITECTURAL SURFACE CEILING LIGHT

Light-mode \$35+VAT



NAME BK

MODEL ED-BKY5H-20W Black

PARAMETERS

- \\ **Finish:** Matt Black
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 20W
- \\ **Voltage:** 100-240V
- \\ **Lumen:** 1800
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** 90
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** D115 H160



Light-mode

10.1.1

ARCHITECTURAL TRACK LIGHT

Light-mode \$26+VAT



NAME L20

MODEL L20/3/GD-10

PARAMETERS

\\ **Finish:** Matt Black

\\ **Technology:** Factory Assembled

\\ **Lampholder:** Not Applicable

\\ **Wattage:** 10W

\\ **Voltage:** 48V

\\ **Lumen:** 900lm

\\ **Color Temperature:** 3000K

\\ **Dimmable:** NO

\\ **CRI:** 90

\\ **IP:** 20

\\ **Life expectancy:** 30,000hrs

\\ **Measurements:** D55 H120



Light-mode

10.1.1

ARCHITECTURAL TRACK LIGHT

Light-mode \$31+VAT



NAME L20

MODEL L20/3-GD-20

PARAMETERS

- \\ **Finish:** Matt Black
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 20W
- \\ **Voltage:** 48V
- \\ **Lumen:** 1800lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** 90
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** D65 H140



Light-mode

10.1.1

ARCHITECTURAL TRACK LIGHT

Light-mode \$23+VAT



NAME L20

MODEL L20/3/GS-24

PARAMETERS

- \\ **Finish:** Matt Black
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 24W
- \\ **Voltage:** 48V
- \\ **Lumen:** 2160LM
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** 90
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** L452 W22 H25



Light-mode

10.1.1

ARCHITECTURAL TRACK LIGHT

Light-mode \$44+VAT



NAME L20

MODEL L20/3/FGD-1200

PARAMETERS

- \\ **Finish:** Matt Black
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 36W
- \\ **Voltage:** 48V
- \\ **Lumen:** 3240lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** 90
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** L1200 W22 H25



Light-mode

10.1.1

ARCHITECTURAL TRACK LIGHT

Light-mode \$26+VAT



NAME L20

MODEL L20/3/ZD-12

PARAMETERS

Finish: Matt Black

Technology: Factory Assembled

Lampholder: Not Applicable

Wattage: 12W

Voltage: 48V

Lumen: 1080lm

Color Temperature: 3000K

Dimmable: NO

CRI: 90

IP: 20

Life expectancy: 30,000hrs

Measurements: L225 W22 H136



Light-mode

10.1.1

ARCHITECTURAL TRACK LIGHT

Light-mode \$31+VAT



NAME L20

MODEL L20/3/ZDGS-12

PARAMETERS

- \\ **Finish:** Matt Black
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 12W
- \\ **Voltage:** 48V
- \\ **Lumen:** 1080lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** 90
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** L226 W22 H55



Light-mode

10.1.1

ARCHITECTURAL TRACK LIGHT

Light-mode \$34+VAT



NAME L20

MODEL 48V 100W

PARAMETERS

- \\ **Finish:** Matt Black
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 100W
- \\ **Voltage:** 48V
- \\ **Lumen:** Not Applicable
- \\ **Color Temperature:** Not Applicable
- \\ **Dimmable:** NO
- \\ **CRI:** Not Applicable
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** L225 W22 H43

Light-mode

10.1.1

ARCHITECTURAL TRACK LIGHT

Light-mode \$49+VAT



NAME L20

MODEL 48V 200W

PARAMETERS

- \\ **Finish:** Matt Black
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** 200W
- \\ **Voltage:** 48V
- \\ **Lumen:** Not Applicable
- \\ **Color Temperature:** Not Applicable
- \\ **Dimmable:** NO
- \\ **CRI:** Not Applicable
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000hrs
- \\ **Measurements:** L225 W22 H43

Light-mode

Light-mode \$61+ VAT



NAME 003

MODEL N22* 00340-3884-90

PARAMETERS

- \\ **Finish:** Technical White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 40W
- \\ **Voltage:** Integrated Remote Driver 0-10V Dimmable
- \\ **Lumen:** 4800lm/4500lm
- \\ **Color Temperature:** 4000K
- \\ **Dimmable:** YES
- \\ **CRI:** More Than 80
- \\ **IP:** 65
- \\ **Life expectancy:** 60,000Hrs
- \\ **Measurements:** 1180x125x85mm

Light-mode

Light-mode \$94 + VAT



NAME WT060C by Philips

MODEL N23* 8710163360171

PARAMETERS

- \\ **Finish:** Grey
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 46W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 5,600lm
- \\ **Color Temperature:** 6500K
- \\ **Dimmable:** NO
- \\ **CRI:** 80-89
- \\ **IP:** 66
- \\ **Life expectancy:** 50,000Hrs L70/B50
- \\ **Measurements:** Length: 1500mm Width: 69mm H :90



Light-mode

8.1

TECHNICAL OUTDOOR FIXTURE

Promotion price:
340\$

Light-mode ~~\$ 400 + VAT~~



NAME FT08

MODEL 08200-2983-01

PARAMETERS

- \\ **Finish:**Black
- \\ **Technology:**Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:**200W
- \\ **Voltage:**Integrated Non Dimmable Driver
- \\ **Lumen:**17464lm
- \\ **Color Temperature:**3000K
- \\ **Dimmable:**No
- \\ **CRI:**More Than 80
- \\ **IP:**65
- \\ **Life expectancy:**30,000Hours
- \\ **Measurements:**Length: 370mm; Width:370mm; Depth:123mm

Light-mode

Light-mode \$15 + VAT



NAME 008

MODEL N20*00810-2984-01

PARAMETERS

- \\ **Finish:**Black
- \\ **Technology:**Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 10W
- \\ **Voltage:**Main Voltage
- \\ **Lumen:** 712lm
- \\ **Color Temperature:** 4000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 65
- \\ **Life expectancy:** 30,000Hrs
- \\ **Measurements:** 115x135x40mm



Light-mode

Light-mode \$211 + VAT



NAME 081

MODEL N20*08100-2984-01

PARAMETERS

- \\ **Finish:**Black
- \\ **Technology:**Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:**100W
- \\ **Voltage:**Main Voltage
- \\ **Lumen:**7,123lm
- \\ **Color Temperature:**4000K
- \\ **Dimmable:**NO
- \\ **CRI:**More Than 80
- \\ **IP:**65
- \\ **Life expectancy:**30,000Hrs
- \\ **Measurements:**289x289x90mm



Light-mode

Light-mode \$9 + VAT



NAME 008

MODEL N22*00810-2986-01

PARAMETERS

- \\ **Finish:**Black
- \\ **Technology:**Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:**10W
- \\ **Voltage:**Main Voltage
- \\ **Lumen:**712lm
- \\ **Color Temperature:**6000K
- \\ **Dimmable:**NO
- \\ **CRI:**More Than 80
- \\ **IP:**65
- \\ **Life expectancy:**30,000Hrs
- \\ **Measurements:**115x135x40mm

Light-mode

Light-mode \$66 + VAT



NAME 081

MODEL N22*08100-2984-01

PARAMETERS

- \\ **Finish:**Black
- \\ **Technology:**Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:**100W
- \\ **Voltage:**Main Voltage
- \\ **Lumen:**7,123lm
- \\ **Color Temperature:**4000K
- \\ **Dimmable:**NO
- \\ **CRI:**More Than 80
- \\ **IP:**65
- \\ **Life expectancy:**30,000Hrs
- \\ **Measurements:**289x289x90mm



Light-mode

Light-mode \$104 + VAT



NAME SMART + BY Ledvance

MODEL N23* 4058075474642

PARAMETERS

\\ **Finish:** Dark Grey

\\ **Technology:** Factory Assembled

\\ **Lampholder:** N/A

\\ **Wattage:** 30W

\\ **Voltage:** Main Voltage

\\ **Lumen:** 2,190lm

\\ **Color Temperature:** RGBW

\\ **Dimmable:** NO

\\ **CRI:** 80-89

\\ **IP:** 65

\\ **Life expectancy:** 30,000Hrs L70B50

\\ **Measurements:** 168mm x 209mm x 30mm



Light-mode

Light-mode \$47 + VAT



NAME FLOODLIGHT BY Ledvance

MODEL N23* 4058075097582


PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 50W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 5250lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** 80-89
- \\ **IP:** 65
- \\ **Life expectancy:** 50,000Hrs L70B50
- \\ **Measurements:** 155mm x 180mm x 46mm



Light-mode

Light-mode \$211 + VAT



NAME BRP062 BY Philips Street Lighting

MODEL N23* 8719514512108

PARAMETERS

- \\ **Finish:** Grey
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 54W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 6,302.2lm
- \\ **Color Temperature:** 4000K
- \\ **Dimmable:** NO
- \\ **CRI:** 70-79
- \\ **IP:** 65
- \\ **Life expectancy:** 50,000Hrs L80
- \\ **Measurements:** 473mm x 165mm x 80mm



Light-mode

Light-mode \$291 + VAT



NAME CCTV LED FLOOD. by Thorgeon

MODEL N23* 4751029893543

PARAMETERS

- \\ **Finish:**Black
- \\ **Technology:**Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 10W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 800lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** 80
- \\ **IP:** 65
- \\ **Life expectancy:** 20,000Hrs L70/B50
- \\ **Measurements:**




Light-mode

8.1

TECHNICAL OUTDOOR FIXTURE

Light-mode \$ 23 + VAT



NAME SAJ

MODEL 6100

PARAMETERS

\\ **Finish:**Black

\\ **Technology:**Retrofit

\\ **Lampholder:** E27

\\ **Wattage:**Max 60W

\\ **Voltage:**Main Voltage

\\ **Lumen:**N/A

\\ **Color Temperature:**N/A




\\ **Dimmable:**Possible

\\ **CRI:**More Than 80

\\ **IP:** 54

\\ **Life expectancy:** N/A

\\ **Measurements:**Length: 320mm; Width:205mm; Depth:125mm



Light-mode

8.1

TECHNICAL OUTDOOR FIXTURE

Light-mode \$ 34 + VAT

NAME CATA

MODEL SLED-1200

PARAMETERS

Finish: Grey

Technology: Factory Assembled

Lampholder: N/A

Wattage: 3W

Voltage: Integrated Driver

Lumen: 150

Color Temperature: 3000K

Dimmable: No

CRI: More Than 80

IP: 65

Life expectancy: 25,000Hrs

Measurements: Length:127mm; Width127mm; Depth:65mm



Light-mode

Light-mode \$ 149 + VAT**NAME** Horn I**MODEL** 4906**PARAMETERS****Finish:** Brown**Technology:** Retrofit Led Or Halogen Or Incandescent**Lampholder:** 1xE27**Wattage:** Max 20W**Voltage:** Main Voltage**Lumen:** Not Applicable**Color Temperature:** Any**Dimmable:** Possible**CRI:** More Than 80**IP:** 44**Life expectancy:**

1,000Hours For Incandescent

3,000Hours For Halogen

20,000Hours For LED

Measurements: Height: 65cm; Diameter: 15cm**Material:** Aluminium and Glass

Light-mode \$ 151 + VAT

NAME SIROCCO I Bollard

MODEL 3396

PARAMETERS

Finish: As Picture

Technology: RETROFIT

Lampholder: 1xE27

Wattage: 1x60W

Voltage: Main Voltage

Lumen: Not Applicable

Color Temperature: Any

Dimmable: Possible

CRI: More Than 80

IP: 44

Life expectancy: Not Applicable

Measurements: Height: 90cm; Diameter: 15cm

Material: Aluminium and Glass



Light-mode \$ 87 + VAT

NAME SIROCCO I Wall

MODEL 3395

PARAMETERS

\\ **Finish:** As Picture

\\ **Technology:** RETROFIT

\\ **Lampholder:** 1xE27

\\ **Wattage:** 1x60W

\\ **Voltage:** Main Voltage

\\ **Lumen:** Not Applicable

\\ **Color Temperature:** Any

\\ **Dimmable:** Possible

\\ **CRI:** More Than 80

\\ **IP:** 44

\\ **Life expectancy:** Not Applicable

\\ **Measurements:** Height: 32.5cm; Depth: 17.5cm

\\ **Material:** Aluminium and Glass



Light-mode

Light-mode \$86+ VAT



NAME MARINA

MODEL 9096

PARAMETERS

\\ **Finish:** BLACK ALUMINIUM AND OPAL GLASS

\\ **Technology:** Retrofit

\\ **Lampholder:** E27

\\ **Wattage:** 1xmax23W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** NO

\\ **CRI:** N/A

\\ **IP:** 44

\\ **Life expectancy:** N/A

\\ **Measurements:** W: 340mm H: 400mm



Light-mode

Light-mode \$110+ VAT



NAME PROVENCE

MODEL 9094

PARAMETERS

\\ **Finish:** BLACK ALUMINIUM AND OPAL GLASS

\\ **Technology:** Retrofit

\\ **Lampholder:** E27

\\ **Wattage:** 1xmax23W

\\ **Voltage:** Main Voltage

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** NO

\\ **CRI:** N/A

\\ **IP:** 44

\\ **Life expectancy:** N/A

\\ **Measurements:** D: 300mm H: 450mm

Light-mode

Liaht-mode \$186+ VAT



NAME WILMA

MODEL 75001

PARAMETERS

- \\ **Finish:** Dark grey
- \\ **Technology:** Retrofit
- \\ **Lampholder:** 1xE27
- \\ **Wattage:** Max 15W
- \\ **Voltage:** main voltage
- \\ **Lumen:** N/A
- \\ **Color Temperature:** N/A
- \\ **Dimmable:** NO
- \\ **CRI:** N/A
- \\ **IP:** 44
- \\ **Life expectancy:** N/A
- \\ **Measurements:** 225x225x340 mm

Light-mode

Light-mode \$ 68 +VAT



NAME Flexible LedStrip

MODEL IP20 4000k

PARAMETERS

- \\ **Technology:** LED
- \\ **Measurement:** 5m Roll
- \\ **Wattage:** 14.4W/m
- \\ **Voltage:** 24V
- \\ **Lumen:** 845lm/m
- \\ **Color Temperature:** 4000K
- \\ **Dimmable:** Yes (if requested)
- \\ **IP:** 20
- \\ **CRI:** 80
- \\ **Life expectancy:** 30,000hrs

Light-mode \$52+ VAT



NAME 090

MODEL N20*09004-1294

PARAMETERS

- \\ **Finish:** N/A
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 4.8W/m
- \\ **Voltage:** Remote 12V Driver
- \\ **Lumen:** 320lm/m
- \\ **Color Temperature:** 4000K
- \\ **Dimmable:** Possible using dimmable driver
- \\ **CRI:** More Than 80
- \\ **IP:** 65
- \\ **Life expectancy:** 30,000Hrs
- \\ **Measurements:** 5m Roll



Light-mode

Light-mode \$75+ VAT



NAME 090

MODEL N20*09014-2494

PARAMETERS

- \\ **Finish:**N/A
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:** 14.4W/m
- \\ **Voltage:** Remote 24V Driver
- \\ **Lumen:** 1056lm/m
- \\ **Color Temperature:** 4000K
- \\ **Dimmable:** Possible using dimmable driver
- \\ **CRI:** More Than 80
- \\ **IP:** 65
- \\ **Life expectancy:** 30,000Hrs
- \\ **Measurements:** 5m Roll



Light-mode

11.1

TECHNICAL COVE LIGHT

Light-mode \$78+ VAT

NAME 900

MODEL N20*90014-2493


PARAMETERS

- \\ **Finish:**N/A
- \\ **Technology:**Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:**14.4W/m
- \\ **Voltage:**Remote 24V Driver
- \\ **Lumen:**1046lm/m
- \\ **Color Temperature:**3000K
- \\ **Dimmable:**Possible using dimmable driver
- \\ **CRI:**More Than 80
- \\ **IP:**65
- \\ **Life expectancy:**30,000Hrs
- \\ **Measurements:**5m Roll



Light-mode

Light-mode \$27 + VAT



NAME 900

MODEL N22*90007-2493


PARAMETERS

- \\ **Finish:**N/A
- \\ **Technology:**Factory Assembled
- \\ **Lampholder:** N/A
- \\ **Wattage:**7.2W/m
- \\ **Voltage:**24V
- \\ **Lumen:**523lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:**N/A
- \\ **CRI:**80
- \\ **IP:** 20
- \\ **Life expectancy:** 30,000Hrs
- \\ **Measurements:** 5000x10mm



Light-mode

Light-mode \$8 + VAT



NAME 720

MODEL N22*720P-01

PARAMETERS

\\ **Finish:** Grey

\\ **Technology:** N/A

\\ **Lampholder:** N/A

\\ **Wattage:** N/A

\\ **Voltage:** N/A

\\ **Lumen:** N/A

\\ **Color Temperature:** N/A

\\ **Dimmable:** N/A

\\ **CRI:** N/A

\\ **IP:** 44

\\ **Life expectancy:** N/A

\\ **Measurements:** 2000x29.52x6.96mm



Light-mode

Light-mode \$23+VAT




NAME ALUMINIUM SKIRTING

MODEL SWT04

PARAMETERS

- \\ **Finish:** Matt Silver Or Mill Finish Or Black Or White
- \\ **Technology:** Aluminium On Site Installation
- \\ **Lampholder:** Not Applicable
- \\ **Wattage:** Not Applicable
- \\ **Voltage:** Not Applicable
- \\ **Lumen:** Not Applicable
- \\ **Color Temperature:** Not Applicable
- \\ **Dimmable:** Not Applicable
- \\ **CRI:** Not Applicable
- \\ **IP:** 40
- \\ **Life expectancy:** Five Years Warranty



Light-mode

Light-mode \$ 2 +VAT



NAME Bulb

MODEL 9002102

PARAMETERS

Technology: Halogen

Lampholder: E14

Wattage: 42W

Voltage: 220V

Lumen: 624

Color Temperature: 2800K

Dimmable: No

CRI: 90

Life expectancy: 3,000hrs

Light-mode \$ 2 + VAT



NAME Bulb

MODEL 9101102

PARAMETERS

Technology: Halogen

Lampholder: E14

Wattage: 28W

Voltage: 220V

Lumen: 370

Color Temperature: 2800K

Dimmable: Yes

CRI: 90

Life expectancy: 3,000hrs

Light-mode

Light-mode \$ 2 ^{+VAT}



NAME Spotlight

MODEL 9201102

PARAMETERS

Technology: Halogen

Lampholder: E14

Wattage: 28W

Voltage: 220V

Lumen: 370

Color Temperature: 2800K

Dimmable: Yes

CRI: 90

Life expectancy: 3,000hrs

Light-mode \$ 2 + VAT



NAME Bulb

MODEL 9302102

PARAMETERS

Technology: Halogen

Lampholder: E14

Wattage: 42W

Voltage: 220V

Lumen: 624

Color Temperature: 2800K

Dimmable: Yes

CRI: 90

Life expectancy: 3,000hrs

Promotion price: 9\$

Light-mode ~~\$ 11~~ +VAT



NAME Bulb

MODEL LC14W4F40-LE

PARAMETERS

- Technology:** LED
- Lampholder:** E14
- Wattage:** 4W
- Voltage:** 220V
- Lumen:** 400
- Color Temperature:** 2700K
- Dimmable:** No
- CRI:** 80
- Life expectancy:** 15,000hrs

Light-mode

Promotion price: 15\$

Light-mode ~~\$ 18~~ + VAT



NAME Bulb

MODEL LA27W7F72-LE

PARAMETERS

Technology: LED

Lampholder: E27

Wattage: 7.2W

Voltage: 220V

Lumen: 720

Color Temperature: 2700K

Dimmable: No

CRI: 80

Life expectancy: 15,000hrs

Promotion price: 26\$ for clear glass and 12\$ for opal

Light-mode ~~\$ 30~~ +VAT



NAME Bulb

MODEL LAD27W7FS80-LE

PARAMETERS

Technology: LED

Lampholder: E27

Wattage: 7.2W

Voltage: 220V

Lumen: 800

Color Temperature: 2700K

Dimmable: Yes

CRI: 80

Life expectancy: 15,000hrs

Promotion price: 21\$

Light-mode ~~\$ 25~~ + VAT



NAME Bulb

MODEL LCD14W3FS36-LE

PARAMETERS

- Technology:** LED
- Lampholder:** E14
- Wattage:** 3.7W
- Voltage:** 220V
- Lumen:** 360
- Color Temperature:** 2700K
- Dimmable:** Yes
- CRI:** 80
- Life expectancy:** 15,000hrs

Light-mode \$ 4 + VAT



NAME VINTAGE EDISON

MODEL 5021

PARAMETERS

\\ **Finish:** Vintage Clear Glass

\\ **Technology:** Halogen

\\ **Lampholder:** E14

\\ **Wattage:** 40W

\\ **Voltage:** 220V

\\ **Lumen:** N/A

\\ **Color Temperature:** 3000K

\\ **Dimmable:** NO

\\ **CRI:** 80

\\ **IP:** 20

\\ **Life expectancy:** 20,000

\\ **Measurements:** Diameter 3cm; Height 12cm

Light-mode \$11 + VAT



NAME Decorative Filament Lamps

MODEL N20*LA27W7F81-02

PARAMETERS

- \\ **Finish:** Transparent
- \\ **Technology:** Retrofit
- \\ **Lampholder:** E27
- \\ **Wattage:** 6W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 810lm
- \\ **Color Temperature:** 2700K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 20
- \\ **Life expectancy:** 15,000Hrs
- \\ **Measurements:** STANDARD

Light-mode

Light-mode \$1 + VAT



NAME MIGROS by Philips

MODEL N23* 7613346460181

PARAMETERS

\\ **Finish:**Frosted

\\ **Technology:**Factory Assembled

\\ **Lampholder:** E27

\\ **Wattage:** 4.5W

\\ **Voltage:** Main Voltage

\\ **Lumen:** 470lm

\\ **Color Temperature:** 2700K

\\ **Dimmable:** NO

\\ **CRI:** 80

\\ **IP:** 20

\\ **Life expectancy:** 15,000Hrs

\\ **Measurements:** Std Size



Light-mode

Light-mode \$2 + VAT



NAME MIGROS by Philips
MODEL N23* 7613346460204

PARAMETERS

- \\ **Finish:**Frosted
- \\ **Technology:**Factory Assembled
- \\ **Lampholder:** E27
- \\ **Wattage:** 7W
- \\ **Voltage:**Main Voltage
- \\ **Lumen:** 806lm
- \\ **Color Temperature:** 2700K
- \\ **Dimmable:** NO
- \\ **CRI:** 80
- \\ **IP:** 20
- \\ **Life expectancy:** 15,000Hrs
- \\ **Measurements:** Std Size



Light-mode

Light-mode \$2 + VAT



NAME MIGROS by Philips

MODEL N23* 7613346460198

PARAMETERS

- \\ **Finish:** Transparent with Filament
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** E27
- \\ **Wattage:** 7W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 806lm
- \\ **Color Temperature:** 2700K
- \\ **Dimmable:** NO
- \\ **CRI:** 80
- \\ **IP:** 20
- \\ **Life expectancy:** 15,000Hrs
- \\ **Measurements:** 60mm x105mm



Light-mode

Light-mode \$2 + VAT



NAME MIGROS by Philips
MODEL N23* 7613346460143

PARAMETERS

- \\ **Finish:** Transparent with Filament
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** E14
- \\ **Wattage:** 4.3W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 470lm
- \\ **Color Temperature:** 2700K
- \\ **Dimmable:** NO
- \\ **CRI:** 80
- \\ **IP:** 20
- \\ **Life expectancy:** 15,000Hrs
- \\ **Measurements:** Std Size



Light-mode

Light-mode \$10 + VAT



NAME CAPSULES

MODEL N20*LG9W2W20-02

PARAMETERS

- \\ **Finish:** Transparent
- \\ **Technology:** Retrofit
- \\ **Lampholder:** G9
- \\ **Wattage:** 2.5W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 200lm
- \\ **Color Temperature:** 3000K
- \\ **Dimmable:** NO
- \\ **CRI:** More Than 80
- \\ **IP:** 20
- \\ **Life expectancy:** 7,500Hrs
- \\ **Measurements:** STANDARD



Light-mode

Light-mode \$ 17 ^{- +VAT}



NAME Bulb

MODEL Serie E-27 Maxi

PARAMETERS

Technology: LED

Lampholder: E27

Wattage: 13W

Voltage: 220V

Lumen: 1100

Color Temperature: 3000K

Dimmable: No

CRI: 80

Life expectancy: 20,000hrs

Promotion price: 12\$

Light-mode ~~\$ 14~~ + VAT



NAME Bulb
MODEL LGDW5W37P-01

- PARAMETERS**
- \\ **Technology:** LED
 - \\ **Lampholder:** GU10
 - \\ **Wattage:** 5W
 - \\ **Voltage:** 220V
 - \\ **Lumen:** 370
 - \\ **Color Temperature:** 2700K
 - \\ **Dimmable:** Yes
 - \\ **CRI:** 80
 - \\ **Life expectancy:** 25,000hrs

Promotion price: 8\$

Light-mode ~~\$ 9~~ +VAT



NAME Bulb

MODEL LMW5W37P-01

PARAMETERS

- Technology: LED
- Lampholder: GU5.3
- Wattage: 5W
- Voltage: 12V
- Lumen: 370
- Color Temperature: 2700K
- Dimmable: No
- CRI: 80
- Life expectancy: 25,000hrs

Light-mode \$ 14 +VAT



NAME Bulb

MODEL LA27W10W81-LE

PARAMETERS

\\ **Technology:** LED

\\ **Lampholder:** E27

\\ **Wattage:** 10W

\\ **Voltage:** 220V

\\ **Lumen:** 810

\\ **Color Temperature:** 2700K

\\ **Dimmable:** No

\\ **CRI:** 80

\\ **Life expectancy:** 25,000hrs

Light-mode \$2 + VAT



NAME AMAZON BASIC by Philips

MODEL N23* 192233019635

PARAMETERS

\\ **Finish:** White

\\ **Technology:** Factory Assembled

\\ **Lampholder:** E27

\\ **Wattage:** 10.5W

\\ **Voltage:** Main Voltage

\\ **Lumen:** 1100lm

\\ **Color Temperature:** 4000K


\\ **Dimmable:** YES

\\ **CRI:** 80

\\ **IP:** 20

\\ **Life expectancy:** 15,000Hrs

\\ **Measurements:** Height: 152.4mm, Diameter: 60mm



Light-mode

Light-mode \$5 + VAT



NAME LED LIGHT BULB by Thorgeon

MODEL N23* 4751029893123

PARAMETERS

- \\ **Finish:** Opal/ Milky
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** E27
- \\ **Wattage:** 15W
- \\ **Voltage:** Main Voltage
- \\ **Lumen:** 1521lm
- \\ **Color Temperature:** 3000k
- \\ **Dimmable:** NO
- \\ **CRI:** 80-89
- \\ **IP:** 20
- \\ **Life expectancy:** 15,000Hrs
- \\ **Measurements:** Diam: 70mm Length: 134mm



Light-mode

Light-mode \$ 144 + VAT



NAME PAR

MODEL LED 30

PARAMETERS

- \\ **Finish:** White
- \\ **Technology:** Factory Assembled
- \\ **Lampholder:** E27
- \\ **Wattage:** 35W
- \\ **Voltage:** Integrated Driver
- \\ **Lumen:** 3000lm
- \\ **Color Temperature:** 4000K
- \\ **Dimmable:** No
- \\ **CRI:** More Than 80
- \\ **IP:** N/A
- \\ **Life expectancy:** 25,000Hrs

Light-mode \$6 + VAT



NAME LED Classic Candle

MODEL N20*LC14W5W47

PARAMETERS

- \\ **Finish:**Opal White
- \\ **Technology:**Retrofit
- \\ **Lampholder:** E14
- \\ **Wattage:**5W
- \\ **Voltage:**Main Voltage
- \\ **Lumen:**470lm
- \\ **Color Temperature:**2700K
- \\ **Dimmable:**NO
- \\ **CRI:**More Than 80
- \\ **IP:**20
- \\ **Life expectancy:**15,000Hrs
- \\ **Measurements:**STANDARD



Light-mode



LIGHTMODELB.COM

Light-mode s.a.l.
Email: info@lightmodelb.com
GSM : +961 76 78 26 26



LIGHTMODEL.B.COM

Light-mode s.a.l.
Email: info@lightmodelb.com
GSM : +961 76 78 26 26